

Magnetic, Tab & Bevel corner tracks

RS PRO

Series — Pag 115

880-881

M6 Series — Pag 116

M7 Series — Pag 117

M10 Series — Pag 118

M4 Series — Pag 119

M1 Series — Pag 120

M5 A/C/D Series — Pag 121

M8 Series — Pag 122

M42 Series — Pag 123

M9 Series — Pag 124

M43 Series — Pag 125

M21A Series
K450 — Pag 126

M22A Series
K450 — Pag 127

M27 Series
K450 — Pag 128

M61 Series
K750 — Pag 129

M62/66/65 Series
K750 — Pag 130

882-8857

M81 Series
K750 — Pag 131

M85 Series
K750 — Pag 132

M86 Series
K750 — Pag 133

M80 Series
K750 — Pag 134

M93/M94 Series
K1000 — Pag 135

M97/M98 Series
K1200 — Pag 136

LBP 882

MP861 Series
K750 — Pag 137

MP931/MP941 Series
K1000 — Pag 138

MP91 Series
K1000 — Pag 139

MP971/MP981 Series
K1200 — Pag 140

260 M

MB7 Series — Pag 141

MB6 Series — Pag 142

MB4 Series — Pag 143

MB8 Series — Pag 144

MB5D Series — Pag 145

MB22 Series
K450 — Pag 146

MB27 Series
K450 — Pag 147

261 M

MC7 Series — Pag 148

MC6 Series — Pag 149

MC4 Series — Pag 150

MC8 Series — Pag 151

MCD5 Series — Pag 152

MC22 Series
K450 — Pag 153

MC27 Series
K450 — Pag 154

520 M

MA7 Series — Pag 155

MA6 Series — Pag 156

MA4 Series — Pag 157

MA8 Series — Pag 158

MA42 Series — Pag 159


MA43 Series — Pag 160

MA5D Series — Pag 161

550 M

Series — Pag 162

TAB Version



878-880-881 TAB-260 TAB
Pag 163

882 TAB
Pag 164


1873-1874 TAB
Pag 165

1843 TAB
Pag 166

1701 TAB-1706 TAB
Pag 167

880-881 B
Pag 168

Straight track section



878-880-881 TAB
Pag 169

882 TAB
Pag 169


1873-1874 TAB
Pag 170

1843 TAB
Pag 170

1701 TAB-1706 TAB
Pag 171







Movex RS PRO

SUPER RS MAGNETIC CURVE

New

Patented


A new concept of Magnetic curve.


Movex® introduces a new concept of magnetic magnetic curves to offer improved conveyor performance.

RS PRO is a patented system that consists of machined, plastic curve tracks equipped with permanent magnets with a new curve-return concept. This concept with a special return section-plate provides a total support of the chain or belt in the return of the curve.

RS PRO is equipped with wear-strips in BluLub, which contributes to improved PV-properties compared to standard UHMW-PE curves especially in applications with limited lubrication, higher speeds and/or higher loads.

RS PRO curves equipped with BluLub wear-parts create the possibility to reduce the energy consumption due the lower friction which also improves the product stability and wear-life of chains and belts.





Wear strip *made in* BluLub

The new assembly system reduces the maintenance-time in case of replacement. BluLub material guarantees great performance especially in applications with limited use of lubricants, higher speeds and/or higher loads.

Return section

The return section of the RS PRO curve (made out of UHMW-PE) is designed to reduce the distance between chain and magnets; ensuring steady magnetic force and keeping the chain in the correct position.

New support plate *made in* BluLub

The new return-section plate made out of BluLub, creates a full support of the chain or belt in this return-section.

RS PRO patented curves can be used for both, chains as well as chain-belts. Depending on the installation of the return-section plate, the correct space is created in the return.

Basically, two executions in one design! ***More info in the next page.***

Suitable for Chain-belts & Plastic chains:

RS PRO

Advantages:

- Lower Wear
- Lower Friction
- Easy to install
- Easy to maintain
- Longer wearlife of chain
- Lower Maintenance cost



260 M




880 M


Wear difference between Standard & RS PRO

Contact area
Chain- Curve

260 M




Standard CURVE




RS PRO CURVE
with BluLub WEARSTRIPS

880 M




Standard CURVE



RS PRO CURVE
with BluLub WEARSTRIPS

Wear test



RS PRO patented system provides the largest contact surface area between chain and curve, this improves the product stability specific after many hours of operation. Due the large contact area, the wear is optimum and equally devided with a minimum of force in the return-section.

Movex® RS PRO
means longer wearlife of chain and curve, lower maintenance cost and better performance!



Chain used with
Standard CURVE



Chain used with
RS PRO CURVE


Movex

RS PRO


New

Chain Reference	879 M - K325	880 M - K325	880 M - K330	881 M - K325	881 M - K330	260 M - K330


Curva Larghezza Base = 111 mm
Curve Basic Width = 111 mm
Kurve Basisbreite = 111 mm;



IN & OUT
AVAILABLE ALSO
125 mm - 100 mm - 50 mm




SINGLE TRACK for 260 M



SINGLE TRACK for 880 M



Available in
BluLub®



Magnetic System

Part	Article-Nr.	Tracks	W	Material
712	71211610RSPRO	1	111	



RS PRO CURVE


On request available
with different radius.


Materiale / Material / Materialien:
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

880-881 M6 Series


Chain Reference	879 M - K325	880 M - K325	880 M - K330	881 M - K325	881 M - K330	Delivery:	Easy	Standard

Curva Larghezza Base = 100 mm; Passo = 85 mm
Curve Basic Width = 100 mm; Pitch = 85 mm
Kurve Basisbreite = 100 mm; Teilung = 85 mm






SINGLE TRACK



MULTI TRACK



Available in BluLub®



Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°	Tracks	W	Material
701	70111114	70111214	70111314	70111414	70111514	70111614	1	100	
701	70111124	70111224	70111324	70111424	70111524	70111624	2	185	
701	70111134	70111234	70111334	70111434	70111534	70111634	3	270	
701	70111144	70111244	70111344	70111444	70111544	70111644	4	355	
701	70111154	70111254	70111354	70111454	70111554	70111654	5	440	
701	70111164	70111264	70111364	70111464	70111564	70111664	6	525	
701	70111174	70111274	70111374	70111474	70111574	70111674	7	610	
701	70111184	70111284	70111384	70111484	70111584	70111684	8	695	

Standard codes on table

add "**B**" for BluLub®

add "**C**" for abrasive


Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°	Tracks	W	Material
701	70111114RS	70111214RS	70111314RS	70111414RS	70111514RS	70111614RS	1	100	
701	70111124RS	70111224RS	70111324RS	70111424RS	70111524RS	70111624RS	2	185	
701	70111134RS	70111234RS	70111334RS	70111434RS	70111534RS	70111634RS	3	270	
701	70111144RS	70111244RS	70111344RS	70111444RS	70111544RS	70111644RS	4	355	
701	70111154RS	70111254RS	70111354RS	70111454RS	70111554RS	70111654RS	5	440	
701	70111164RS	70111264RS	70111364RS	70111464RS	70111564RS	70111664RS	6	525	
701	70111174RS	70111274RS	70111374RS	70111474RS	70111574RS	70111674RS	7	610	
701	70111184RS	70111284RS	70111384RS	70111484RS	70111584RS	70111684RS	8	695	

RS
add "**RS**" for RS-version


880-881 *M7 Series*

Chain Reference	879 M - K325	880 M - K325	880 M - K330	881 M - K325	881 M - K330


Curva Larghezza Base = 100 mm; Passo = 85 mm
Curve Basic Width = 100 mm; Pitch = 85 mm
Kurve Basisbreite = 100 mm; Teilung = 85 mm



IN & OUT
AVAILABLE ALSO
125 mm - 100 mm - 50 mm




SINGLE TRACK



MULTI TRACK



Available in
BluLub®



Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°	Tracks	W	Material
701	70111110	70111210	70111310	70111410	70111510	70111610	1	100	
701	70111120	70111220	70111320	70111420	70111520	70111620	2	185	
701	70111130	70111230	70111330	70111430	70111530	70111630	3	270	
701	70111140	70111240	70111340	70111440	70111540	70111640	4	355	
701	70111150	70111250	70111350	70111450	70111550	70111650	5	440	
701	70111160	70111260	70111360	70111460	70111560	70111660	6	525	
701	70111170	70111270	70111370	70111470	70111570	70111670	7	610	
701	70111180	70111280	70111380	70111480	70111580	70111680	8	695	

Standard codes on table

add "**B**" for BluLub®

add "**C**" for abrasive

Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°	Tracks	W	Material
701	70111110RS	70111210RS	70111310RS	70111410RS	70111510RS	70111610RS	1	100	
701	70111120RS	70111220RS	70111320RS	70111420RS	70111520RS	70111620RS	2	185	
701	70111130RS	70111230RS	70111330RS	70111430RS	70111530RS	70111630RS	3	270	
701	70111140RS	70111240RS	70111340RS	70111440RS	70111540RS	70111640RS	4	355	
701	70111150RS	70111250RS	70111350RS	70111450RS	70111550RS	70111650RS	5	440	
701	70111160RS	70111260RS	70111360RS	70111460RS	70111560RS	70111660RS	6	525	
701	70111170RS	70111270RS	70111370RS	70111470RS	70111570RS	70111670RS	7	610	
701	70111180RS	70111280RS	70111380RS	70111480RS	70111580RS	70111680RS	8	695	


RS
add "**RS**" for RS-version


Materiale / Material / Materialien:
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

880-881 M10 Series


Chain Reference	879 M - K325	880 M - K325	880 M - K330	881 M - K325	881 M - K330

Curva Larghezza Base = 110 mm; Passo = 85 mm
Curve Basic Width = 110 mm; Pitch = 85 mm
Kurve Basisbreite = 110 mm; Teilung = 85 mm






SINGLE TRACK



MULTI TRACK



Available in
BluLub®



Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°	Tracks	W	Material
711	71111114	71111214	71111314	71111414	71111514	71111614	1	110	
711	71111124	71111224	71111324	71111424	71111524	71111624	2	195	
711	71111134	71111234	71111334	71111434	71111534	71111634	3	280	
711	71111144	71111244	71111344	71111444	71111544	71111644	4	365	
711	71111154	71111254	71111354	71111454	71111554	71111654	5	450	
711	71111164	71111264	71111364	71111464	71111564	71111664	6	535	
711	71111174	71111274	71111374	71111474	71111574	71111674	7	620	
711	71111184	71111284	71111384	71111484	71111584	71111684	8	705	



Standard codes on table



add "**B**" for BluLub®



add "**C**" for abrasive

Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°	Tracks	W	Material
711	71111114RS	71111214RS	71111314RS	71111414RS	71111514RS	71111614RS	1	110	
711	71111124RS	71111224RS	71111324RS	71111424RS	71111524RS	71111624RS	2	195	
711	71111134RS	71111234RS	71111334RS	71111434RS	71111534RS	71111634RS	3	280	
711	71111144RS	71111244RS	71111344RS	71111444RS	71111544RS	71111644RS	4	365	
711	71111154RS	71111254RS	71111354RS	71111454RS	71111554RS	71111654RS	5	450	
711	71111164RS	71111264RS	71111364RS	71111464RS	71111564RS	71111664RS	6	535	
711	71111174RS	71111274RS	71111374RS	71111474RS	71111574RS	71111674RS	7	620	
711	71111184RS	71111284RS	71111384RS	71111484RS	71111584RS	71111684RS	8	705	





RS
add "**RS**" for RS-version

880-881 *M4 Series*


Chain Reference	879 M - K325	880 M - K325	880 M - K330	881 M - K325	881 M - K330

Curva Larghezza Base = 111 mm; Passo = 85 mm
Curve Basic Width = 111 mm; Pitch = 85 mm
Kurve Basisbreite = 111 mm; Teilung = 85 mm






SINGLE TRACK



MULTI TRACK



Available in
BluLub®



Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°	Tracks	W	Material
712	71211114	71211214	71211314	71211414	71211514	71211614	1	111	
712	71211124	71211224	71211324	71211424	71211524	71211624	2	196	
712	71211134	71211234	71211334	71211434	71211534	71211634	3	281	
712	71211144	71211244	71211344	71211444	71211544	71211644	4	366	
712	71211154	71211254	71211354	71211454	71211554	71211654	5	451	
712	71211164	71211264	71211364	71211464	71211564	71211664	6	536	
712	71211174	71211274	71211374	71211474	71211574	71211674	7	621	
712	71211184	71211284	71211384	71211484	71211584	71211684	8	706	

Standard codes on table

add "**B**" for BluLub®

add "**C**" for abrasive

Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°	Tracks	W	Material
712	71211114RS	71211214RS	71211314RS	71211414RS	71211514RS	71211614RS	1	111	
712	71211124RS	71211224RS	71211324RS	71211424RS	71211524RS	71211624RS	2	196	
712	71211134RS	71211234RS	71211334RS	71211434RS	71211534RS	71211634RS	3	281	
712	71211144RS	71211244RS	71211344RS	71211444RS	71211544RS	71211644RS	4	366	
712	71211154RS	71211254RS	71211354RS	71211454RS	71211554RS	71211654RS	5	451	
712	71211164RS	71211264RS	71211364RS	71211464RS	71211564RS	71211664RS	6	536	
712	71211174RS	71211274RS	71211374RS	71211474RS	71211574RS	71211674RS	7	621	
712	71211184RS	71211284RS	71211384RS	71211484RS	71211584RS	71211684RS	8	706	


RS
add "**RS**" for RS-version


Materiale / Material / Materialien:
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

880-881 M1 Series


Chain Reference	879 M - K325	880 M - K325	880 M - K330	881 M - K325	881 M - K330

Curva Larghezza Base = 100 mm; Passo = 89 mm
Curve Basic Width = 100 mm; Pitch = 89 mm
Kurve Basisbreite = 100 mm; Teilung = 89 mm






SINGLE TRACK



MULTI TRACK



Available in BluLub®



Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°	Tracks	W
730	73011115	73011215	73011315	73011415	73011515	73011615	1	100
730	73011125	73011225	73011325	73011425	73011525	73011625	2	189
730	73011135	73011235	73011335	73011435	73011535	73011635	3	278
730	73011145	73011245	73011345	73011445	73011545	73011645	4	367
730	73011155	73011255	73011355	73011455	73011555	73011655	5	456
730	73011165	73011265	73011365	73011465	73011565	73011665	6	545
730	73011175	73011275	73011375	73011475	73011575	73011675	7	634
730	73011185	73011285	73011385	73011485	73011585	73011685	8	723

Material



Standard codes on table



add "**B**" for BluLub®



add "**C**" for abrasive

Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°	Tracks	W
730	73011115RS	73011215RS	73011315RS	73011415RS	73011515RS	73011615RS	1	100
730	73011125RS	73011225RS	73011325RS	73011425RS	73011525RS	73011625RS	2	189
730	73011135RS	73011235RS	73011335RS	73011435RS	73011535RS	73011635RS	3	278
730	73011145RS	73011245RS	73011345RS	73011445RS	73011545RS	73011645RS	4	367
730	73011155RS	73011255RS	73011355RS	73011455RS	73011555RS	73011655RS	5	456
730	73011165RS	73011265RS	73011365RS	73011465RS	73011565RS	73011665RS	6	545
730	73011175RS	73011275RS	73011375RS	73011475RS	73011575RS	73011675RS	7	634
730	73011185RS	73011285RS	73011385RS	73011485RS	73011585RS	73011685RS	8	723

Material




RS
add "**RS**" for RS-version

Movex®


880-881 *M5 A/C/D Series*

Chain Reference	879 M - K325	880 M - K325	880 M - K330	881 M - K325	881 M - K330

Curva Larghezza Base = 100 mm
Curve Basic Width = 100 mm
Kurve Basisbreite = 100 mm




IN & OUT
AVAILABLE ALSO
100 mm - 50 mm - without





Available in
BluLub®



Upper part available, on request, also in BluLub® and for abrasive applications.

Magnetic System

M5A Series - Rm 680

Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°		Tracks	W	A
703	70315114	70315214	70315314	70315414	70315514	70315614		1	100	100

Material — **Standard** codes on table — add "**B**" for BluLub® — add "**C**" for abrasive — add "**RS**" for RS-version

M5C Series - Rm 860

Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°		Tracks	W	A
703	70318115	70318215	70318315	70318415	70318515	70318615		1	100	125

Material — **Standard** codes on table — add "**B**" for BluLub® — add "**C**" for abrasive — add "**RS**" for RS-version

M5D Series - Rm 1000

Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°		Tracks	W	A
703	70319110	70319210	70319310	70319410	70319510	70319610		1	100	0


Material — **Standard** codes on table — add "**B**" for BluLub® — add "**C**" for abrasive — add "**RS**" for RS-version

Materiale / Material / Materialien:
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

880-881 M8 Series


Chain Reference	879 M - K325	880 M - K325	880 M - K330	881 M - K325	881 M - K330


Curva Larghezza Base = 100 mm; Passo = 85 mm
Curve Basic Width = 100 mm; Pitch = 85 mm
Kurve Basisbreite = 100 mm; Teilung = 85 mm






Available in BluLub®





SINGLE TRACK



MULTI TRACK

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W
702	70216614	1	100
702	70216624	2	185
702	70216634	3	270
702	70216644	4	355
702	70216654	5	440
702	70216664	6	525
702	70216674	7	610
702	70216684	8	695


Standard codes on table


add "**B**" for BluLub®


add "**C**" for abrasive


Part	Article-Nr.	Tracks	W
702	70216614RS	1	100
702	70216624RS	2	185
702	70216634RS	3	270
702	70216644RS	4	355
702	70216654RS	5	440
702	70216664RS	6	525
702	70216674RS	7	610
702	70216684RS	8	695


RS
add "**RS**" for RS-version

880-881 *M42 Series*


Chain Reference	879 M - K325	880 M - K325	880 M - K330	881 M - K325	881 M - K330


Curva Larghezza Base = 111 mm; Passo = 85 mm
Curve Basic Width = 111 mm; Pitch = 85 mm
Kurve Basisbreite = 111 mm; Teilung = 85 mm






Available in
BluLub®





SINGLE TRACK



MULTI TRACK

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W	Material
713	**71316614**	1	111	
713	**71316624**	2	196	
713	**71316634**	3	281	
713	**71316644**	4	366	
713	**71316654**	5	451	
713	**71316664**	6	536	
713	**71316674**	7	621	
713	**71316684**	8	706	



Standard codes on table



add "**B**" for BluLub®



add "**C**" for abrasive

Part	Article-Nr.	Tracks	W	Material
713	**71316614RS**	1	111	
713	**71316624RS**	2	196	
713	**71316634RS**	3	281	
713	**71316644RS**	4	366	
713	**71316654RS**	5	451	
713	**71316664RS**	6	536	
713	**71316674RS**	7	621	
713	**71316684RS**	8	706	




RS
add "**RS**" for RS-version


Materiale / Material / Materialien:
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

880-881 M9 Series


Chain Reference	879 M - K325	880 M - K325	880 M - K330	881 M - K325	881 M - K330

Curva Larghezza Base = 110 mm; Passo = 90 mm
Curve Basic Width = 110 mm; Pitch = 90 mm
Kurve Basisbreite = 110 mm; Teilung = 90 mm






SINGLE TRACK



MULTI TRACK



Available in
BluLub®



Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W
714	71416614	1	110
714	71416624	2	200
714	71416634	3	290
714	71416644	4	380
714	71416654	5	470
714	71416664	6	560
714	71416674	7	650
714	71416684	8	740


Standard codes on table


add "**B**" for BluLub®


add "**C**" for abrasive


Part	Article-Nr.	Tracks	W
714	71416614RS	1	110
714	71416624RS	2	200
714	71416634RS	3	290
714	71416644RS	4	380
714	71416654RS	5	470
714	71416664RS	6	560
714	71416674RS	7	650
714	71416684RS	8	740


RS
add "**RS**" for RS-version

880-881 *M43 Series*


Chain Reference	879 M - K325	880 M - K325	880 M - K330	881 M - K325	881 M - K330


Curva Larghezza Base = 111 mm; Passo = 85 mm
Curve Basic Width = 111 mm; Pitch = 85 mm
Kurve Basisbreite = 111 mm; Teilung = 85 mm






Available in
BluLub®





SINGLE TRACK



MULTI TRACK

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W	Material
712	71219614	1	111	
712	71219624	2	196	
712	71219634	3	281	
712	71219644	4	366	
712	71219654	5	451	
712	71219664	6	536	
712	71219674	7	621	
712	71219684	8	706	



Standard codes on table



add "**B**" for BluLub®



add "**C**" for abrasive

Part	Article-Nr.	Tracks	W	Material
712	71219614RS	1	111	
712	71219624RS	2	196	
712	71219634RS	3	281	
712	71219644RS	4	366	
712	71219654RS	5	451	
712	71219664RS	6	536	
712	71219674RS	7	621	
712	71219684RS	8	706	




RS
add "**RS**" for RS-version


Materiale / Material / Materialien:
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

880-881 K450 M21A Series


Chain Reference	879 M - K450	880 M - K450	881 M - K450


Curva Larghezza Base = 129 mm; Passo = 120 mm
Curve Basic Width = 129 mm; Pitch = 120 mm
Kurve Basisbreite = 129 mm; Teilung = 120 mm





SINGLE TRACK





MULTI TRACK



Available in BluLub®

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W	Material
715	71511615	1	129	
715	71511625	2	249	
715	71511635	3	369	
715	71511645	4	489	
715	71511655	5	609	


Standard codes on table


add "**B**" for BluLub®


add "**C**" for abrasive


Part	Article-Nr.	Tracks	W	Material
715	71511615RS	1	129	
715	71511625RS	2	249	
715	71511635RS	3	369	
715	71511645RS	4	489	
715	71511655RS	5	609	



RS
add "**RS**" for RS-version

880-881 K450 *M22A Series*


Chain Reference	879 M - K450	880 M - K450	881 M - K450


Curva Larghezza Base = 129 mm; Passo = 120 mm
Curve Basic Width = 129 mm; Pitch = 120 mm
Kurve Basisbreite = 129 mm; Teilung = 120 mm





SINGLE TRACK





MULTI TRACK



Available in
BluLub®

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W	Material
704	70413615	1	129	
704	70413625	2	249	
704	70413635	3	369	
704	70413645	4	489	
704	70413655	5	609	


Standard codes on table


add "**B**" for BluLub®


add "**C**" for abrasive

Part	Article-Nr.	Tracks	W	Material
704	70413615RS	1	129	
704	70413625RS	2	249	
704	70413635RS	3	369	
704	70413645RS	4	489	
704	70413655RS	5	609	



RS
add "**RS**" for RS-version

Materiale / Material / Materialien:
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE


880-881 K450 M27 Series

Chain Reference	879 M - K450	880 M - K450	881 M - K450

Curva Larghezza Base = 129 mm; Passo = 117 mm
Curve Basic Width = 129 mm; Pitch = 117 mm
Kurve Basisbreite = 129 mm; Teilung = 117 mm




IN & OUT
AVAILABLE ALSO
100 mm - 50 mm






Available in BluLub®



SINGLE TRACK



MULTI TRACK

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W
731	73113610	1	129
731	73113620	2	246
731	73113630	3	363
731	73113640	4	480
731	73113650	5	597
731	73113660	6	714
731	73113670	7	831
731	73113680	8	948



Standard codes on table



add "**B**" for BluLub®



add "**C**" for abrasive

Part	Article-Nr.	Tracks	W
731	73113610RS	1	129
731	73113620RS	2	246
731	73113630RS	3	363
731	73113640RS	4	480
731	73113650RS	5	597
731	73113660RS	6	714
731	73113670RS	7	831
731	73113680RS	8	948




RS
add "**RS**" for RS-version

880-881 K750 *M61 Series*


Chain Reference	880 M - K750	881 M - K750

Curva Larghezza Base = 214 mm; Passo = 196 mm
Curve Basic Width = 214 mm; Pitch = 196 mm
Kurve Basisbreite = 214 mm; Teilung = 196 mm




AVAILABLE ALSO
15° 30° 45°
60° 75°


IN & OUT
AVAILABLE ALSO
100 mm - 50 mm
without



SINGLE TRACK



MULTI TRACK





Available in
BluLub®

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W
716	**71613615**	1	214
716	**71613625**	2	410
716	**71613635**	3	606



Standard codes on table



add "**B**" for BluLub®



add "**C**" for abrasive

Part	Article-Nr.	Tracks	W
716	**71613615RS**	1	214
716	**71613625RS**	2	410
716	**71613635RS**	3	606




RS
add "**RS**" for RS-version

Materiale / Material / Materialien:
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE


880-881 K750 M62/66/65 Series

Chain Reference	880 M - K750	881 M - K750

Curva Larghezza Base = 214 mm
Curve Basic Width = 214 mm
Kurve Basisbreite = 214 mm




IN & OUT
AVAILABLE ALSO
125 mm - 100 mm - 50 mm





Available in BluLub®



Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W	R	Material
707	70716610	1	214	750	
707	70718610	1	214	860	
707	70719610	1	214	1000	


Standard codes on table


add "**B**" for BluLub®


add "**C**" for abrasive


Part	Article-Nr.	Tracks	W	R	Material
707	70716610RS	1	214	750	
707	70718610RS	1	214	860	
707	70719610RS	1	214	1000	


RS
add "**RS**" for RS-version


882-8857 K750 *M81 Series*

Chain Reference 882 M - K750


Curva Larghezza Base = 200 mm; Passo = 195 mm
Curve Basic Width = 200 mm; Pitch = 195 mm
Kurve Basisbreite = 200 mm; Teilung = 195 mm




IN & OUT
AVAILABLE ALSO
125 mm - 50 mm - without



SINGLE TRACK



MULTI TRACK





Available in BluLub®

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W	Material
717	71713614	1	200	
717	71713624	2	395	
717	71713634	3	590	
717	71713644	4	785	


Standard codes on table


add "**B**" for BluLub®


add "**C**" for abrasive

Part	Article-Nr.	Tracks	W	Material
717	71713614RS	1	200	
717	71713624RS	2	395	
717	71713634RS	3	590	
717	71713644RS	4	785	



RS
add "**RS**" for RS-version

Materiale / Material / Materialien:
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE


882-8857 K750 M85 Series

Chain Reference	882 M - K750	8857 M - K750


Curva Larghezza Base = 200 mm; Passo = 195 mm
Curve Basic Width = 200 mm; Pitch = 195 mm
Kurve Basisbreite = 200 mm; Teilung = 195 mm




IN & OUT
AVAILABLE ALSO
125 mm - 50 mm - without



SINGLE TRACK



MULTI TRACK





Available in BluLub®

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W	Material
718	71816614	1	200	
718	71816624	2	395	
718	71816634	3	590	


Standard codes on table


add "**B**" for BluLub®


add "**C**" for abrasive


Part	Article-Nr.	Tracks	W	Material
718	71816614RS	1	200	
718	71816624RS	2	395	
718	71816634RS	3	590	


RS
add "**RS**" for RS-version


882-8857 K750 *M86 Series*

Chain Reference	882 M - K750	8857 M - K750


Curva Larghezza Base = 214 mm; Passo = 200 mm
Curve Basic Width = 214 mm; Pitch = 200 mm
Kurve Basisbreite = 214 mm; Teilung = 200 mm




IN & OUT
AVAILABLE ALSO
125 mm
100 mm
50 mm



SINGLE TRACK



MULTI TRACK





Available in
BluLub®

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W	Material
708	70818610	1	214	
708	70818620	2	414	
708	70818630	3	614	


Standard codes on table


add "**B**" for BluLub®


add "**C**" for abrasive

Part	Article-Nr.	Tracks	W	Material
708	70818610RS	1	214	
708	70818620RS	2	414	
708	70818630RS	3	614	



RS
add "**RS**" for RS-version

Materiale / Material / Materialien:
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE


882-8857 K750 M80 Series

Chain Reference	882 M - K750	8857 M - K750


Curva Larghezza Base = 200 mm; Passo = 195 mm
Curve Basic Width = 200 mm; Pitch = 195 mm
Kurve Basisbreite = 200 mm; Teilung = 195 mm




IN & OUT
AVAILABLE ALSO
125 mm - 50 mm - without



SINGLE TRACK





MULTI TRACK



Available in BluLub®

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W	Material
719	71919614	1	200	
719	71919624	2	395	
719	71919634	3	590	


Standard codes on table


add "**B**" for BluLub®


add "**C**" for abrasive

Part	Article-Nr.	Tracks	W	Material
719	71919614RS	1	200	
719	71919624RS	2	395	
719	71919634RS	3	590	



RS
add "**RS**" for RS-version


Movex®

882-8857 K1000 *M93/M94 Series*

Chain Reference	882 M - K1000	8857 M - K1000

Curva Larghezza Base = 270 mm
Curve Basic Width = 270 mm
Kurve Basisbreite = 270 mm






AVAILABLE ALSO
15° 30° 45°
60° 75°

IN & OUT
AVAILABLE ALSO
125 mm - 100 mm - 50 mm



Available in BluLub®



Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	Rm	W	Material
709	**70918610**	1	860	270	
709	**70919610**	1	1000	270	



Standard codes on table



add "**B**" for BluLub®



add "**C**" for abrasive

Part	Article-Nr.	Tracks	Rm	W	Material
709	**70918610RS**	1	860	270	
709	**70919610RS**	1	1000	270	




RS
add "**RS**" for RS-version


Materiale / Material / Materialien:
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

882-8857 K1200 M97/M98 Series

Chain Reference 882 M - K1200

Curva Larghezza Base = 320 mm
Curve Basic Width = 320 mm
Kurve Basisbreite = 320 mm






AVAILABLE ALSO
15° 30° 45°
60° 75°

IN & OUT
AVAILABLE ALSO
125 mm - 100 mm - 50 mm



Available in BluLub®



Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	Rm	W	Material
710	71018610	1	860	320	
710	71019610	1	1000	320	



Standard codes on table



add "**B**" for BluLub®



add "**C**" for abrasive

Part	Article-Nr.	Tracks	Rm	W	Material
710	71018610RS	1	860	320	
710	71019610RS	1	1000	320	





RS
add "**RS**" for RS-version

LBP 882 K750 *MP861 Series*

Chain Reference LBP 882 M - K750

Curva Larghezza Base = 214 mm
Curve Basic Width = 214 mm
Kurve Basisbreite = 214 mm






AVAILABLE ALSO
15° 30° 45°
60° 75°

IN & OUT
AVAILABLE ALSO
125 mm - 100 mm - 50 mm



Available in BluLub®



Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W	Material
781	**78118610**	1	214	**Standard** codes on table
				add "**B**" for BluLub®
				add "**C**" for abrasive


Part	Article-Nr.	Tracks	W	Material
781	**78118610RS**	1	270	***RS*** add "**RS**" for RS-version


Materiale / Material / Materialien:
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

LBP 882 K1000 MP931/MP941 Series

Chain Reference LBP 882 M - K1000

Curva Larghezza Base = 270 mm
Curve Basic Width = 270 mm
Kurve Basisbreite = 270 mm






IN & OUT
AVAILABLE ALSO
125 mm - 100 mm - 50 mm



Available in BluLub®



MP931 Series

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°		Tracks	R	W
784	78418110	78418210	78418310	78418410	78418510	78418610		1	860	270

Material  **Standard** codes on table  add "**B**" for BluLub®  add "**C**" for abrasive  add "**RS**" for RS-version

MP941 Series


Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°		Tracks	R	W
784	78419110	78419210	78419310	78419410	78419510	78419610		1	1000	270


Material  **Standard** codes on table  add "**B**" for BluLub®  add "**C**" for abrasive  add "**RS**" for RS-version

LBP 882 K1000 *MP91 Series*

Chain Reference LBP 882 M - K1000

Curva Larghezza Base = 290 mm
Curve Basic Width = 290 mm
Kurve Basisbreite = 290 mm






AVAILABLE ALSO
15° 30° 45°
60° 75°

IN & OUT
AVAILABLE ALSO
125 mm - 100 mm - 50 mm



Available in BluLub®



Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W	Material
782	78218610	1	290	 **Standard** codes on table
				 add "**B**" for BluLub®
				 add "**C**" for abrasive


Part	Article-Nr.	Tracks	W	Material
782	78218610RS	1	290	 **RS** add "**RS**" for RS-version


Materiale / Material / Materialien:
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

LBP 882 K1200 MP971/MP981 Series

Chain Reference LBP 882 M - K1200

Curva Larghezza Base = 340 mm
Curve Basic Width = 340 mm
Kurve Basisbreite = 340 mm






AVAILABLE ALSO
15° 30° 45°
60° 75°

IN & OUT
AVAILABLE ALSO
125 mm - 100 mm - 50 mm



Available in BluLub®



Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	Rm	W	Material
783	**78318610**	1	860	340	
783	**78319610**	1	1000	340	



Standard codes on table



add "**B**" for BluLub®



add "**C**" for abrasive

Part	Article-Nr.	Tracks	Rm	W	Material
783	**78318610RS**	1	860	340	
783	**78319610RS**	1	1000	340	




RS
add "**RS**" for RS-version


260 M *MB7 Series*

Chain Reference 260 M - K330


Curva Larghezza Base = 100 mm; Passo = 85 mm
Curve Basic Width = 100 mm; Pitch = 85 mm
Kurve Basisbreite = 100 mm; Teilung = 85 mm




IN & OUT
AVAILABLE ALSO
125 mm - 100 mm - 50 mm



SINGLE TRACK



MULTI TRACK





Available in
BluLub®

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W
705	**70511610**	1	100
705	**70511620**	2	185
705	**70511630**	3	270
705	**70511640**	4	355
705	**70511650**	5	440
705	**70511660**	6	525
705	**70511670**	7	610
705	**70511680**	8	695



Standard codes on table



add "**B**" for BluLub®



add "**C**" for abrasive

Part	Article-Nr.	Tracks	W
705	**70511610RS**	1	100
705	**70511620RS**	2	185
705	**70511630RS**	3	270
705	**70511640RS**	4	355
705	**70511650RS**	5	440
705	**70511660RS**	6	525
705	**70511670RS**	7	610
705	**70511680RS**	8	695




RS
add "**RS**" for RS-version


Materiale / *Material / Materialien:*
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

260 M *MB6 Series*


Chain Reference 260 M - K330

Curva Larghezza Base = 100 mm; Passo = 85 mm
Curve Basic Width = 100 mm; Pitch = 85 mm
Kurve Basisbreite = 100 mm; Teilung = 85 mm






SINGLE TRACK



MULTI TRACK



Available in
BluLub®



Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°	Tracks	W	Material
732	73211114	73211214	73211314	73211414	73211514	73211614	1	100	
732	73211124	73211224	73211324	73211424	73211524	73211624	2	185	
732	73211134	73211234	73211334	73211434	73211534	73211634	3	270	
732	73211144	73211244	73211344	73211444	73211544	73211644	4	355	
732	73211154	73211254	73211354	73211454	73211554	73211654	5	440	
732	73211164	73211264	73211364	73211464	73211564	73211664	6	525	
732	73211174	73211274	73211374	73211474	73211574	73211674	7	610	
732	73211184	73211284	73211384	73211484	73211584	73211684	8	695	



Standard codes on table



add "**B**" for BluLub®



add "**C**" for abrasive

Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°	Tracks	W	Material
732	73211114RS	73211214RS	73211314RS	73211414RS	73211514RS	73211614RS	1	100	
732	73211124RS	73211224RS	73211324RS	73211424RS	73211524RS	73211624RS	2	185	
732	73211134RS	73211234RS	73211334RS	73211434RS	73211534RS	73211634RS	3	270	
732	73211144RS	73211244RS	73211344RS	73211444RS	73211544RS	73211644RS	4	355	
732	73211154RS	73211254RS	73211354RS	73211454RS	73211554RS	73211654RS	5	440	
732	73211164RS	73211264RS	73211364RS	73211464RS	73211564RS	73211664RS	6	525	
732	73211174RS	73211274RS	73211374RS	73211474RS	73211574RS	73211674RS	7	610	
732	73211184RS	73211284RS	73211384RS	73211484RS	73211584RS	73211684RS	8	695	





RS
add "**RS**" for RS-version

260 M *MB4 Series*


Chain Reference 260 M - K330

Curva Larghezza Base = 111 mm; Passo = 85 mm
Curve Basic Width = 111 mm; Pitch = 85 mm
Kurve Basisbreite = 111 mm; Teilung = 85 mm






SINGLE TRACK



MULTI TRACK



Available in
BluLub®



Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°	Tracks	W
733	73311114	73311214	73311314	73311414	73311514	73311614	1	111
733	73311124	73311224	73311324	73311424	73311524	73311624	2	196
733	73311134	73311234	73311334	73311434	73311534	73311634	3	281
733	73311144	73311244	73311344	73311444	73311544	73311644	4	366
733	73311154	73311254	73311354	73311454	73311554	73311654	5	451
733	73311164	73311264	73311364	73311464	73311564	73311664	6	536
733	73311174	73311274	73311374	73311474	73311574	73311674	7	621
733	73311184	73311284	73311384	73311484	73311584	73311684	8	706

Material


Standard codes on table


add "**B**" for BluLub®


add "**C**" for abrasive

Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°	Tracks	W
733	73311114RS	73311214RS	73311314RS	73311414RS	73311514RS	73311614RS	1	111
733	73311124RS	73311224RS	73311324RS	73311424RS	73311524RS	73311624RS	2	196
733	73311134RS	73311234RS	73311334RS	73311434RS	73311534RS	73311634RS	3	281
733	73311144RS	73311244RS	73311344RS	73311444RS	73311544RS	73311644RS	4	366
733	73311154RS	73311254RS	73311354RS	73311454RS	73311554RS	73311654RS	5	451
733	73311164RS	73311264RS	73311364RS	73311464RS	73311564RS	73311664RS	6	536
733	73311174RS	73311274RS	73311374RS	73311474RS	73311574RS	73311674RS	7	621
733	73311184RS	73311284RS	73311384RS	73311484RS	73311584RS	73311684RS	8	706

Material



RS
add "**RS**" for RS-version

Materiale / *Material / Materialien:*
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

260 M *MB8 Series*


Chain Reference 260 M - K330


Curva Larghezza Base = 100 mm; Passo = 85 mm
Curve Basic Width = 100 mm; Pitch = 85 mm
Kurve Basisbreite = 100 mm; Teilung = 85 mm






Available in BluLub®





SINGLE TRACK



MULTI TRACK

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W
732	73216614	1	100
732	73216624	2	185
732	73216634	3	270
732	73216644	4	355
732	73216654	5	440
732	73216664	6	525
732	73216674	7	610
732	73216684	8	695


Standard codes on table


add "**B**" for BluLub®


add "**C**" for abrasive

Part	Article-Nr.	Tracks	W
732	73216614RS	1	100
732	73216624RS	2	185
732	73216 634RS	3	270
732	73216644RS	4	355
732	73216654RS	5	440
732	73216664RS	6	525
732	73216674RS	7	610
732	73216684RS	8	695



RS
add "**RS**" for RS-version

Movex®

260 M *MB5D Series*

Chain Reference 260 M - K330


Curva Larghezza Base = 100 mm; Passo = 85 mm
Curve Basic Width = 100 mm; Pitch = 85 mm
Kurve Basisbreite = 100 mm; Teilung = 85 mm




IN & OUT
AVAILABLE ALSO
125 mm - 100 mm - 50 mm




Available in BluLub®





SINGLE TRACK



MULTI TRACK

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W
732	73219610	1	100
732	73219620	2	185
732	73219630	3	270
732	73219640	4	355
732	73219650	5	440
732	73219660	6	525
732	73219670	7	610
732	73219680	8	695



Standard codes on table



add "**B**" for BluLub®



add "**C**" for abrasive

Part	Article-Nr.	Tracks	W
732	73219610RS	1	100
732	73219620RS	2	185
732	73219630RS	3	270
732	73219640RS	4	355
732	73219650RS	5	440
732	73219660RS	6	525
732	73219670RS	7	610
732	73219680RS	8	695




RS
add "**RS**" for RS-version

Materiale / Material / Materialien:
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

260 M K450 MB22 Series


Chain Reference 260 M - K450

Curva Larghezza Base = 129 mm; Passo = 117 mm
Curve Basic Width = 129 mm; Pitch = 117 mm
Kurve Basisbreite = 129 mm; Teilung = 117 mm







Available in BluLub®



129



SINGLE TRACK



MULTI TRACK

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W	Material
734	73411614	1	129	
734	73411624	2	246	
734	73411634	3	363	
734	73411644	4	480	



Standard codes on table



add "**B**" for BluLub®



add "**C**" for abrasive

Part	Article-Nr.	Tracks	W	Material
734	73411614RS	1	129	
734	73411624RS	2	246	
734	73411634RS	3	363	
734	73411644RS	4	480	





RS
add "**RS**" for RS-version

260 M K450 *MB27 Series*


Chain Reference 260 M - K450

Curva Larghezza Base = 129 mm; Passo = 117 mm
Curve Basic Width = 129 mm; Pitch = 117 mm
Kurve Basisbreite = 129 mm; Teilung = 117 mm






SINGLE TRACK



MULTI TRACK



Available in
BluLub®



Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W	Material
734	**73413614**	1	129	**Standard** codes on table
734	**73413624**	2	246	
734	**73413634**	3	363	
734	**73413644**	4	480	





add "**B**" for BluLub®



add "**C**" for abrasive

Part	Article-Nr.	Tracks	W	Material
734	**73413614RS**	1	129	**RS** add "**RS**" for RS-version
734	**73413624RS**	2	246	
734	**73413634RS**	3	363	
734	**73413644RS**	4	480	




Materiale / *Material / Materialien:*
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

261 M MC7 Series

Chain Reference 261 M - K330


Curva Larghezza Base = 100 mm; Passo = 85 mm
Curve Basic Width = 100 mm; Pitch = 85 mm
Kurve Basisbreite = 100 mm; Teilung = 85 mm




IN & OUT
AVAILABLE ALSO
125 mm - 100 mm - 50 mm




Available in
BluLub®





SINGLE TRACK



MULTI TRACK

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W
706	70611610	1	100
706	70611620	2	185
706	70611630	3	270
706	70611640	4	355
706	70611650	5	440
706	70611660	6	525
706	70611670	7	610
706	70611680	8	695



Standard codes on table



add "**B**" for BluLub®



add "**C**" for abrasive

Part	Article-Nr.	Tracks	W
706	70611610RS	1	100
706	70611620RS	2	185
706	70611630RS	3	270
706	70611640RS	4	355
706	70611650RS	5	440
706	70611660RS	6	525
706	70611670RS	7	610
706	70611680RS	8	695




RS
add "**RS**" for RS-version

Movex®

261 M *MC6 Series*


Chain Reference 261 M - K330


Curva Larghezza Base = 100 mm; Passo = 85 mm
Curve Basic Width = 100 mm; Pitch = 85 mm
Kurve Basisbreite = 100 mm; Teilung = 85 mm






Available in BluLub®





SINGLE TRACK



MULTI TRACK

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W
706	**70611614**	1	100
706	**70611624**	2	185
706	**70611634**	3	270
706	**70611644**	4	355
706	**70611654**	5	440
706	**70611664**	6	525
706	**70611674**	7	610
706	**70611684**	8	695



Standard codes on table



add "**B**" for BluLub®



add "**C**" for abrasive

Part	Article-Nr.	Tracks	W
706	**70611614RS**	1	100
706	**70611624RS**	2	185
706	**70611634RS**	3	270
706	**70611644RS**	4	355
706	**70611654RS**	5	440
706	**70611664RS**	6	525
706	**70611674RS**	7	610
706	**70611684RS**	8	695




RS
add "**RS**" for RS-version

Materiale / *Material / Materialien:*
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

261 M MC4 Series


Chain Reference 261 M - K330


Curva Larghezza Base = 111 mm; Passo = 85 mm
Curve Basic Width = 111 mm; Pitch = 85 mm
Kurve Basisbreite = 111 mm; Teilung = 85 mm






Available in BluLub®





SINGLE TRACK



MULTI TRACK

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W
735	73511614	1	111
735	73511624	2	196
735	73511634	3	281
735	73511644	4	366
735	73511654	5	451
735	73511664	6	536
735	73511674	7	621
735	73511684	8	706

Standard codes on table

add "**B**" for BluLub®

add "**C**" for abrasive


Part	Article-Nr.	Tracks	W
735	73511614RS	1	111
735	73511624RS	2	196
735	73511634RS	3	281
735	73511644RS	4	366
735	73511654RS	5	451
735	73511664RS	6	536
735	73511674RS	7	621
735	73511684RS	8	706

RS
add "**RS**" for RS-version

261 M *MC8 Series*


Chain Reference 261 M - K330


Curva Larghezza Base = 100 mm; Passo = 85 mm
Curve Basic Width = 100 mm; Pitch = 85 mm
Kurve Basisbreite = 100 mm; Teilung = 85 mm






Available in BluLub®





SINGLE TRACK



MULTI TRACK

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W
706	**70616614**	1	100
706	**70616624**	2	185
706	**70616634**	3	270
706	**70616644**	4	355
706	**70616654**	5	440
706	**70616664**	6	525
706	**70616674**	7	610
706	**70616684**	8	695



Standard codes on table



add "**B**" for BluLub®



add "**C**" for abrasive

Part	Article-Nr.	Tracks	W
706	**70616614RS**	1	100
706	**70616624RS**	2	185
706	**70616634RS**	3	270
706	**70616644RS**	4	355
706	**70616654RS**	5	440
706	**70616664RS**	6	525
706	**70616674RS**	7	610
706	**70616684RS**	8	695




RS
add "**RS**" for RS-version

Materiale / *Material / Materialien:*
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

261 M MC5D Series

Chain Reference 261 M - K330


Curva Larghezza Base = 100 mm; Passo = 85 mm
Curve Basic Width = 100 mm; Pitch = 85 mm
Kurve Basisbreite = 100 mm; Teilung = 85 mm




IN & OUT
AVAILABLE
125 mm - 100 mm - 50 mm




Available in
BluLub®





SINGLE TRACK



MULTI TRACK

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W
706	70619610	1	100
706	70619620	2	185
706	70619630	3	270
706	70619640	4	355
706	70619650	5	440
706	70619660	6	525
706	70619670	7	610
706	70619680	8	695


Standard codes on table


add "**B**" for BluLub®


add "**C**" for abrasive


Part	Article-Nr.	Tracks	W
706	70619610RS	1	100
706	70619620RS	2	185
706	70619630RS	3	270
706	70619640RS	4	355
706	70619650RS	5	440
706	70619660RS	6	525
706	70619670RS	7	610
706	70619680RS	8	695



RS
add "**RS**" for RS-version

261 M K450 *MC22 Series*


Chain Reference 261 M - K450

Curva Larghezza Base = 129 mm; Passo = 117 mm
Curve Basic Width = 129 mm; Pitch = 117 mm
Kurve Basisbreite = 129 mm; Teilung = 117 mm






SINGLE TRACK



MULTI TRACK



Available in
BluLub®



Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W	Material
736	**73611614**	1	129	**Standard** codes on table
736	**73611624**	2	246	
736	**73611634**	3	363	add "**B**" for BluLub®
736	**73611644**	4	480	
				add "**C**" for abrasive


Part	Article-Nr.	Tracks	W	Material
736	**73611614RS**	1	129	**RS** add "**RS**" for RS-version
736	**73611624RS**	2	246	
736	**73611634RS**	3	363	
736	**73611644RS**	4	480	

Materiale / Material / Materialien:
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

261 M K450 MC27 Series


Chain Reference 261 M - K450


Curva Larghezza Base = 129 mm; Passo = 117 mm
Curve Basic Width = 129 mm; Pitch = 117 mm
Kurve Basisbreite = 129 mm; Teilung = 117 mm






Available in BluLub®





SINGLE TRACK



MULTI TRACK

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W
736	73613614	1	129
736	73613624	2	246
736	73613634	3	363
736	73613644	4	480



Standard codes on table



add "**B**" for BluLub®



add "**C**" for abrasive

Part	Article-Nr.	Tracks	W
736	73613614RS	1	129
736	73613624RS	2	246
736	73613634RS	3	363
736	73613644RS	4	480




RS
add "**RS**" for RS-version

Movex®

520 M *MA7 Series*

Chain Reference 520 M - K330


Curva Larghezza Base = 100 mm; Passo = 85 mm
Curve Basic Width = 100 mm; Pitch = 85 mm
Kurve Basisbreite = 100 mm; Teilung = 85 mm




IN & OUT
AVAILABLE ALSO
125 mm - 100 mm - 50 mm




Available in
BluLub®





SINGLE TRACK



MULTI TRACK

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°	Tracks	W
750	75011110	75011210	75011310	75011410	75011510	75011610	1	100
750	75011120	75011220	75011320	75011420	75011520	75011620	2	185
750	75011130	75011230	75011330	75011430	75011530	75011630	3	270
750	75011140	75011240	75011340	75011440	75011540	75011640	4	355
750	75011150	75011250	75011350	75011450	75011550	75011650	5	440
750	75011160	75011260	75011360	75011460	75011560	75011660	6	525
750	75011170	75011270	75011370	75011470	75011570	75011670	7	610
750	75011180	75011280	75011380	75011480	75011580	75011680	8	695

Material


Standard codes on table


add "**B**" for BluLub®



add "**C**" for abrasive


Materiale / *Material / Materialien:*
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

520 M *MA6 Series*


Chain Reference 520 M - K330

Curva Larghezza Base = 100 mm; Passo = 85 mm
Curve Basic Width = 100 mm; Pitch = 85 mm
Kurve Basisbreite = 100 mm; Teilung = 85 mm






SINGLE TRACK



MULTI TRACK



Available in BluLub®



Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°	Tracks	W
750	75011114	75011214	75011314	75011414	75011514	75011614	1	100
750	75011124	75011224	75011324	75011424	75011524	75011624	2	185
750	75011134	75011234	75011334	75011434	75011534	75011634	3	270
750	75011144	75011244	75011344	75011444	75011544	75011644	4	355
750	75011154	75011254	75011354	75011454	75011554	75011654	5	440
750	75011164	75011264	75011364	75011464	75011564	75011664	6	525
750	75011174	75011274	75011374	75011474	75011574	75011674	7	610
750	75011184	75011284	75011384	75011484	75011584	75011684	8	695

Material



Standard codes on table



add "**B**" for BluLub®




add "**C**" for abrasive

Movex®

520 M *MA4 Series*


Chain Reference 520 M - K330


Curva Larghezza Base = 111mm; Passo = 85 mm
Curve Basic Width = 111 mm; Pitch = 85 mm
Kurve Basisbreite = 111 mm; Teilung = 85 mm






Available in BluLub®





SINGLE TRACK



MULTI TRACK

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	α 15°	α 30°	α 45°	α 60°	α 75°	α 90°	Tracks	W	Material
751	75111114	75111214	75111314	75111414	75111514	75111614	1	111	
751	75111124	75111224	75111324	75111424	75111524	75111624	2	196	
751	75111134	75111234	75111334	75111434	75111534	75111634	3	281	
751	75111144	75111244	75111344	75111444	75111544	75111644	4	366	
751	75111154	75111254	75111354	75111454	75111554	75111654	5	451	
751	75111164	75111264	75111364	75111464	75111564	75111664	6	536	
751	75111174	75111274	75111374	75111474	75111574	75111674	7	621	
751	75111184	75111284	75111384	75111484	75111584	75111684	8	706	


Standard codes on table


add "**B**" for BluLub®



add "**C**" for abrasive

Materiale / *Material / Materialien:*
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

520 M *MA8 Series*


Chain Reference 520 M - K330


Curva Larghezza Base = 100 mm; Passo = 85 mm
Curve Basic Width = 100 mm; Pitch = 85 mm
Kurve Basisbreite = 100 mm; Teilung = 85 mm






Available in BluLub®





SINGLE TRACK



MULTI TRACK

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W	Material
750	75016614	1	100	
750	75016624	2	185	
750	75016634	3	270	
750	75016644	4	355	
750	75016654	5	440	
750	75016664	6	525	
750	75016674	7	610	
750	75016684	8	695	


Standard codes on table


add "**B**" for BluLub®



add "**C**" for abrasive

Movex®

520 M *MA42 Series*


Chain Reference 520 M - K330


Curva Larghezza Base = 111 mm; Passo = 85 mm
Curve Basic Width = 111 mm; Pitch = 85 mm
Kurve Basisbreite = 111 mm; Teilung = 85 mm






Available in
BluLub®





SINGLE TRACK



MULTI TRACK

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W	Material
751	**75116614**	1	111	
751	**75116624**	2	196	
751	**75116634**	3	281	
751	**75116644**	4	366	
751	**75116654**	5	451	
751	**75116664**	6	536	
751	**75116674**	7	621	
751	**75116684**	8	706	


Standard codes on table


add "**B**" for BluLub®



add "**C**" for abrasive

Materiale / *Material / Materialien:*
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

520 M *MA43 Series*


Chain Reference 520 M - K330


Curva Larghezza Base = 111 mm; Passo = 85 mm
Curve Basic Width = 111 mm; Pitch = 85 mm
Kurve Basisbreite = 111 mm; Teilung = 85 mm






Available in BluLub®





SINGLE TRACK



MULTI TRACK

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W
751	**75119614**	1	111
751	**75119624**	2	196
751	**75119634**	3	281
751	**75119644**	4	366
751	**75119654**	5	451
751	**75119664**	6	536
751	**75119674**	7	621
751	**75119684**	8	706



Standard codes on table

add "**B**" for BluLub®


add "**C**" for abrasive

Movex®

520 M *MA5D Series*

Chain Reference 520 M - K330


Curva Larghezza Base = 100 mm; Passo = 85 mm
Curve Basic Width = 100 mm; Pitch = 85 mm
Kurve Basisbreite = 100 mm; Teilung = 85 mm




IN & OUT
AVAILABLE ALSO
125 mm - 100 mm - 50 mm




Available in
BluLub®





SINGLE TRACK



MULTI TRACK

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	Tracks	W	Material
750	**75019610**	1	100	
750	**75019620**	2	185	
750	**75019630**	3	270	
750	**75019640**	4	355	
750	**75019650**	5	440	
750	**75019660**	6	525	
750	**75019670**	7	610	
750	**75019680**	8	695	


Standard codes on table


add "**B**" for BluLub®


add "**C**" for abrasive


Materiale / *Material / Materialien:*
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

550 M

New


Chain Reference 550 M - K330


Curva Larghezza Base = 100 mm; Passo = 85 mm
Curve Basic Width = 100 mm; Pitch = 85 mm
Kurve Basisbreite = 100 mm; Teilung = 85 mm






Available in BluLub®





SINGLE TRACK



MULTI TRACK

Magnetic System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	α 90°	Tracks	W	Material
752	75211614	1	100	
752	75211624	2	185	
752	75211634	3	270	
752	75211644	4	355	
752	75211654	5	440	
752	75211664	6	525	
752	75211674	7	610	
752	75211684	8	695	



Standard codes on table



add "**B**" for BluLub®



add "**C**" for abrasive


Part	α 90°	Tracks	W	Material
752	75211614RS	1	100	
752	75211624RS	2	185	
752	75211634RS	3	270	
752	75211644RS	4	355	
752	75211654RS	5	440	
752	75211664RS	6	525	
752	75211674RS	7	610	
752	75211684RS	8	695	



RS
add "**RS**" for RS-version

878-880-881 TAB-260 TAB

Chain Reference	878 TAB - K325/K450	880-881 TAB - K325/K450/K750	260 TAB - K330/K450	Delivery:	Easy	Standard



Tab System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Rm 500	Rm 610	Rm 800	Rm 1000	Tracks	W	Pitch	Material
K325								
720	72021612	72023612	72027612	72029612	1	100	85	
720	72021622	72023622	72027622	72029622	2	185		
720	72021632	72023632	72027632	72029632	3	270		
720	72021642	72023642	72027642	72029642	4	355		
720	72021652	72023652	72027652	72029652	5	440		
720	72021662	72023662	72027662	72029662	6	525		
K450								
721	72121612	72123612	72127612	72129612	1	130	120	
721	72121622	72123622	72127622	72129622	2	250		
721	72121632	72123632	72127632	72129632	3	370		
721	72121642	72123642	72127642	72129642	4	490		
721	72121652	72123652	72127652	72129652	5	610		
721	72121662	72123662	72127662	72129662	6	730		
K750								
722	72221612	72223612	72227612	72229612	1	200	195	
722	72221622	72223622	72227622	72229622	2	395		
722	72221632	72223632	72227632	72229632	3	590		
722	72221642	72223642	72227642	72229642	4	785		


Standard codes on table



add "**B**" for BluLub®


add "**C**" for abrasive

Materiale / *Material / Materialien:*
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

882 TAB

Chain Reference 882 TAB - K450/K750/K1000/K1200 **Delivery:** Easy Standard



Tab System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Rm 610	Rm 800	Rm 1000	Tracks	W	Pitch
K450						
727	72723612	72727612	72729612	1	130	120
727	72723622	72727622	72729622	2	250	
727	72723632	72727632	72729632	3	370	
727	72723642	72727642	72729642	4	490	
K750						
723	72323612	72327612	72329612	1	200	195
723	72323622	72327622	72329622	2	395	
723	72323632	72327632	72329632	3	590	
723	72323642	72327642	72329642	4	785	
K1000						
724	72423612	72427612	72429612	1	270	260
724	72423622	72427622	72429622	2	530	
724	72423632	72427632	72429632	3	790	
724	72423642	72427642	72429642	4	1050	
K1200						
725	72523612	72527612	72529612	1	320	310
725	72523622	72527622	72529622	2	630	
725	72523632	72527632	72529632	3	940	
725	72523642	72527642	72529642	4	1250	



Standard codes on table


add "**B**" for BluLub®


add "**C**" for abrasive

1873-1874 TAB

Chain Reference 1873 TAB-1874 TAB - K325/K450/K600/K750/K1000/K1200



Tab System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Rm 500	Rm 610	Rm 800	Rm 1000	Tracks	W	Pitch
K325							
726	72621612	72623612	72627612	72629612	1	100	85
726	72621622	72623622	72627622	72629622	2	185	
726	72621632	72623632	72627632	72629632	3	270	
726	72621642	72623642	72627642	72629642	4	355	
K450							
728	72821612	72823612	72827612	72829612	1	130	120
728	72821622	72823622	72827622	72829622	2	250	
728	72821632	72823632	72827632	72829632	3	370	
728	72821642	72823642	72827642	72829642	4	490	
K600							
729	72921612	72923612	72927612	72929612	1	170	160
729	72921622	72923622	72927622	72929622	2	330	
729	72921632	72923632	72927632	72929632	3	490	
729	72921642	72923642	72927642	72929642	4	650	
K750							
737	73721612	73723612	73727612	73729612	1	200	195
737	73721622	73723622	73727622	73729622	2	395	
737	73721632	73723632	73727632	73729632	3	590	
737	73721642	73723642	73727642	73729642	4	785	
K1000							
738	73821612	73823612	73827612	73829612	1	270	260
738	73821622	73823622	73827622	73829622	2	530	
K1200							
739	73921612	73923612	73927612	73929612	1	320	310
739	73921622	73923622	73927622	73929622	2	630	



Standard codes on table



add "**B**" for BluLub®





add "**C**" for abrasive

Materiale / *Material / Materialien:*
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

1843 TAB

Chain Reference 1843 TAB - K125/K200





Tab System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Rm 300	Rm 500	Tracks	W	Material
K125					
740	**74020612**	**74021612**	1	50	
K200					
741	**74120612**	**74121612**	1	70	


Standard codes on table



add "**B**" for BluLub®



add "**C**" for abrasive

Movex®

1701 TAB-1706 TAB

Chain Reference 1701 TAB -1701 TAB OP- 1706 TAB - K55





Tab System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Rm 250	Rm 500	Tracks	W	Material
K55					
742	**74220612**	**74221612**	1	100	


Standard codes on table



add "**B**" for BluLub®


add "**C**" for abrasive

Materiale / *Material / Materialien:*
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

880-881 B

Chain Reference 880 B-881 B - K325



Bevel System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Rm 500	Rm 610	Rm 800	Rm 1000	Tracks	W	Pitch	Material
K325								
770	77031612	77033612	77037612	77039612	1	100	85	
770	77031622	77033622	77037622	77039622	2	185		
770	77031632	77033632	77037632	77039632	3	270		
770	77031642	77033642	77037642	77039642	4	355		
770	77031652	77033652	77037652	77039652	5	440		
770	77031662	77033662	77037662	77039662	6	525		


Standard codes on table



add "**B**" for BluLub®



add "**C**" for abrasive

Movex®

878-880-881 TAB *Straight track section*

Chain Reference 880-881 TAB - K325/K450/K750





Tab System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	W	Length	Material
K325				
790	**79023010**	100	2000	
K450				
790	**79024010**	130	2000	
K750				
790	**79026010**	200	2000	



Standard codes on table



add "**B**" for BluLub®


add "**C**" for abrasive

882 TAB *Straight track section*

Chain Reference 882 TAB - K450/K750/K1000/K1200 **Delivery:** Easy Standard





Tab System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	W	Length	Material
K450				
791	**79124010**	130	2000	
K750				
791	**79126010**	200	2000	
K1000				
791	**79127010**	270	2000	
K1200				
791	**79128010**	320	2000	


Standard codes on table



add "**B**" for BluLub®


add "**C**" for abrasive

Materiale / ***Material*** / ***Materialien:***
Polietilene UHMW-PE
Polyethylene UHMW-PE
Polyäthylen UHMW-PE

1873-1874 TAB *Straight track section*

Chain Reference 1873 TAB-1874 TAB - K325/K450/K600/K750/K1000/K1200



Tab System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	W	Length
K325			
792	**79223010**	100	2000
K450			
792	**79224010**	130	2000
K600			
792	**79225010**	170	2000
K750			
792	**79226010**	200	2000
K1000			
792	**79227010**	270	2000
K1200			
792	**79228010**	320	2000


Standard codes on table

add "**B**" for BluLub®

add "**C**" for abrasive

1843 TAB *Straight track section*

Chain Reference 1843 TAB - K125/K200



Tab System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	W	A	Length
K125				
793	**79321010**	50	22,5	2000
K200				
793	**79322010**	70	22,3	2000


Standard codes on table


add "**B**" for BluLub®

add "**C**" for abrasive

1701 TAB-1706 TAB *Straight track section*

Chain Reference 1701 TAB -1701 TAB OP- 1706 TAB - K55





Tab System

Upper part available, on request, also in BluLub® and for abrasive applications.

Part	Article-Nr.	W	Length	Material
K55				
794	**79420010**	100	2000	


Standard codes on table


add "**B**" for BluLub®


add "**C**" for abrasive