
9&3



Conveyor components

301  Pag 361

302  Pag 361

305  Pag 362

306  Pag 362

307  Pag 363

308  Pag 363

309  Pag 364

310  Pag 364

311  Pag 365

312  Pag 365

398  Pag 366

398  Pag 366

313  Pag 367

314  Pag 367

314  Pag 367

315  Pag 368

316  Pag 368

317  Pag 369

317  Pag 369

318  Pag 370

319  Pag 370

3001  Pag 370

320  Pag 371

3002  Pag 371

321  Pag 372

322  Pag 372

323  Pag 372

324  Pag 373

325  Pag 373

326  Pag 373

327  Pag 373

328  Pag 374

329  Pag 374

330  Pag 374

390  Pag 374

392  Pag 375

393  Pag 375

336  Pag 375

394  Pag 376

341 Pag 376

331 Pag 377

331 Pag 377

345 Pag 378

337 Pag 379

338 Pag 379

339 Pag 379

349 Pag 380

350 Pag 380

351  Pag 380

352  Pag 380

347  Pag 381

348  Pag 381

346  Pag 382

356  Pag 382

357  Pag 382

335  Pag 383

358  Pag 384

364  Pag 384

359  Pag 385

365  Pag 385

360  Pag 386

360  Pag 387

366  Pag 386/387

361  Pag 388

361  Pag 389

367  Pag 388/389

364-365  Pag 390

366-367  Pag 391

366  Pag 392

367  Pag 392

364  Pag 393

365  Pag 393

395  Pag 394

362  Pag 394

358  Pag 394

333  Pag 394


353  Pag 395

354  Pag 395

355  Pag 395

363  Pag 396


396  Pag 397

363  Pag 398

199/299  Pag 399

368  Pag 400

369  Pag 400

370  Pag 401

371  Pag 401

342  Pag 402

372 Pag 402

373 Pag 403

383 Pag 403

384 Pag 403

385 Pag 404

386 Pag 404

397 Pag 405

3003 Pag 405

374 Pag 406

375 Pag 406

377 Pag 407

378 Pag 407

379 Pag 408

380 Pag 408

381 Pag 409

382 Pag 409

376 Pag 410

376 Pag 410

376 Pag 410

391 Pag 411

387 Pag 412

388 Pag 412


Materiale / *Material / Materialien:*
Supporto: PA *Support: PA Halter: PA*
Volantino: PA+ottone nichelato *Knob: PA+nickel plated brass Sterngriff: PA+ Messing vernickelt*
Tirante: Acciaio inox *Eyebolt: Stainless steel Augenschraube: Edelstahl*

301 Supporto laterale -piccolo-
Side bracket -small- / Geländerhalter -klein-

Delivery: Easy Standard

Part	Article-Nr.	ØA	B
301	30101	12	9
301	30105	14	9
301	30102	16	9
301	30103	12	10,5
301	30106	14	10,5
301	30104	16	10,5






302 Supporto laterale -piccolo- volantino alto
Side bracket -small- high knob / Geländerhalter -klein- hoher Sterngriff

Delivery: Easy Standard

Part	Article-Nr.	ØA	B
302	30201	12	9
302	30205	14	9
302	30202	16	9
302	30203	12	10,5
302	30206	14	10,5
302	30204	16	10,5






Materiale / *Material / Materialien:*
Supporto: PA *Support: PA Halter: PA*
Volantino: PA+ottone nichelato *Knob: PA+nickel plated brass Sterngriff: PA+ Messing vernickelt*
Tirante: Acciaio inox *Eyebolt: Stainless steel Augenschraube: Edelstahl*

305 Supporto laterale -medio-
Side bracket -medium- / Geländerhalter -medium-

Delivery: Easy Standard






Part	Article-Nr.	ØA	B
305	30501	12	9
305	30505	14	9
305	30502	16	9
305	30503	12	10,5
305	30506	14	10,5
305	30504	16	10,5

306 Supporto laterale -medio- volantino alto
Side bracket -medium- high knob / Geländerhalter -medium- hoher Sterngriff

Delivery: Easy Standard






Part	Article-Nr.	ØA	B
306	30601	12	9
306	30605	14	9
306	30602	16	9
306	30603	12	10,5
306	30606	14	10,5
306	30604	16	10,5

Materiale / *Material* / *Materialien:* Supporto: PA Support: PA Halter: PA
Volantino: PA+ottone nichelato Knob: *PA+nickel plated brass Sterngriff: PA+ Messing vernickelt*
Tirante: Acciaio inox *Eyebolt: Stainless steel Augenschraube: Edelstahl*
Testina: PA o Acciaio inox *Heads: PA or stainless steel Schwenkkopf: PA oder Edelstahl*
Vite, rondella e dado: Acciaio inox *Screw, washers and nut: Stainless steel Schraube, Unterlegs und Mutter: Edelstahl*

307 Supporto laterale -medio- orientabile
Side bracket -medium- adjustable / Geländerhalter -medium- einstellbar

Delivery: Easy Standard






Part	Article-Nr.	ØA	B
307	30701	12	9
307	30705	14	9
307	30702	16	9
307	30703	12	10,5
307	30706	14	10,5
307	30704	16	10,5
307	30709	bracket	9
307	30710	bracket	10,5

308 Supporto laterale -medio- orientabile INOX
Side bracket -medium- adjustable SS / Geländerhalter -medium- einstellbar Edelstahl

Delivery: Easy Standard






Part	Article-Nr.	ØA	B
308	30801	12	9
308	30805	14	9
308	30802	16	9
308	30803	12	10,5
308	30806	14	10,5
308	30804	16	10,5

Materiale / *Material / Materialien:*
Supporto: PA *Support: PA Halter: PA*
Volantino: PA+ottone nichelato *Knob: PA+nickel plated brass Sterngriff: PA+ Messing vernickelt*
Tirante: Acciaio inox *Eyebolt: Stainless steel Augenschraube: Edelstahl*

309 Supporto laterale -grande-
Side bracket -large- / Geländerhalter -groß-

Delivery: Easy Standard






Part	Article-Nr.	ØA	B
309	30901	12	9
309	30905	14	9
309	30902	16	9
309	30903	12	10,5
309	30906	14	10,5
309	30904	16	10,5

310 Supporto laterale -grande- volantino alto
Side bracket -large- high knob / Geländerhalter -groß- hoher Sterngriff

Delivery: Easy Standard






Part	Article-Nr.	ØA	B
310	31001	12	9
310	31005	14	9
310	31002	16	9
310	31003	12	10,5
310	31006	14	10,5
310	31004	16	10,5

Materiale / *Material* / *Materialien:* Supporto: PA Support: PA Halter: PA
Volantino: PA+ottone nichelato Knob: *PA+nickel plated brass Sterngriff: PA+ Messing vernickelt*
Tirante: Acciaio inox *Eyebolt: Stainless steel Augenschraube: Edelstahl*
Testina: PA o Acciaio inox *Heads: PA or stainless steel Schwenkkopf: PA oder Edelstahl*
Vite, rondella e dado: Acciaio inox *Screw, washers and nut: Stainless steel Schraube, Unterlegs und Mutter: Edelstahl*

311 Supporto laterale -grande- orientabile
Side bracket -large- adjustable / Geländerhalter -groß- einstellbar

Delivery: Easy Standard






Part	Article-Nr.	ØA	B
311	31101	12	9
311	31105	14	9
311	31102	16	9
311	31103	12	10,5
311	31106	14	10,5
311	31104	16	10,5
311	31109	bracket	9
311	31110	bracket	10,5

312 Supporto laterale -grande- orientabile INOX
Side bracket -large- adjustable SS / Geländerhalter -groß- einstellbar Edelstahl

Delivery: Easy Standard





Part	Article-Nr.	ØA	B
312	31201	12	9
312	31205	14	9
312	31202	16	9
312	31203	12	10,5
312	31206	14	10,5
312	31204	16	10,5

Materiale / *Material* / *Materialien:*
Supporto: Acciaio inox *Support: Stainless steel* *Halter: Edelstahl*
Volantino: PA+ottone nichelato *Knob: PA+nickel plated brass* *Sterngriff: PA+ Messing vernickelt*


398 Supporto laterale inox -medio- orientabile
SS bracket -medium- adjustable / Edelstahl Geländerhalter -medium- einstellbar

Stainless Steel | AISI 304

Delivery: Easy Standard

Part	Article-Nr.	ØA
398	39860	12
398	39862	14
398	39861	16






Supporto laterale inox -grande- orientabile
SS bracket -large- adjustable / Edelstahl Geländerhalter -groß- einstellbar

Stainless Steel | AISI 304

Part	Article-Nr.	ØA
398	39870	12
398	39872	14
398	39871	16






Movex

Materiale / *Material / Materialien:*
Volantino: PA+ottone nichelato Knob: *PA+nickel plated brass Sterngriff: PA+ Messing vernickelt*
Tirante: Acciaio inox *Eyebolt: Stainless steel Augenschraube: Edelstahl*
Testina: PA o Acciaio inox *Heads: PA or stainless steel Schwenkkopf: PA oder Edelstahl*
Vite, rondella e dado: Acciaio inox *Screw, washers and nut: Stainless steel Schraube, Unterlegs und Mutter: Edelstahl*


313 Testina orientabile
Adjustable head / Schwenkkopf

Delivery: Easy Standard





Part	Article-Nr.	ØA
313	31301	12
313	31303	14
313	31302	16
313	31311	12-without knob
313	31313	14-without knob
313	31312	16-without knob



Without knob




Spacer
31330


314 Testina orientabile, acciaio inox
Adjustable head, stainless steel / Schwenkkopf, Edelstahl

Delivery: Easy Standard






Part	Article-Nr.	ØA
314	31401	12
314	31403	14
314	31402	16
314	31411	12-without knob
314	31413	14-without knob
314	31412	16-without knob




Without knob

Testina orientabile alta, acciaio inox
Adjustable head, stainless steel / Schwenkkopf, Edelstahl





Part	Article-Nr.	ØA
314	31409	12
314	31414	14
314	31410	16
314	31419	12-without knob
314	31421	14-without knob
314	31420	16-without knob



Without knob

Materiale / *Material* / *Materialien:*
Acciaio inox / Stainless steel / Edelstahl

315 Supporto laterale "L"
L-bracket / Winkel


Stainless Steel | AISI 304


Delivery: Easy Standard


Part	Article-Nr.	Type
315	31501	A
315	31502	B




Type A - without nose







Type B - with nose



316 Supporto laterale "L"
L-bracket / Winkel


Stainless Steel | AISI 304


Delivery: Easy Standard


Part	Article-Nr.	Type
316	31601	A
316	31602	B




Type A - without nose







Type B - with nose



Movex


Materiale / *Material* / *Materialien:*
Poliammide + ottone nichelato
Polyamide + nickel plated brass
Polyamid + Messing vernickelt

317 Volantino
Star knob / Sterngriff


Delivery: Easy Standard

Part	Article-Nr.	Ø
317	31701	50
317	31702	40










Volantino con tirante
Star knob with eye-bolt / Sterngriff mit Augenschraube

Part	Article-Nr.	ØA
317	31799	12
317	31797	14
317	31798	16






Materiale / *Material* / *Materialien:*
Poliammide + ottone nichelato / Acciaio inox / Ottone
Polyamide + nickel plated brass / Stainless steel / Brass
Polyamid + Messing vernickelt / Edelstahl / Messing

318 Volantino
Star knob / Sterngriff

Delivery: Easy Standard

Part	Article-Nr.
318	31801






319 Volantino
Star knob / Sterngriff

Delivery: Easy Standard

Part	Article-Nr.	Ø
319	31901	50






3001 Volantino a croce con boccola filettata
Star knob with threaded bush/ Sterngriff mit Innengewinde

New

Part	Article-Nr.	Threaded bush material
3001	300101	Stainless steel
3001	300102	Brass






Materiale / *Material / Materialien:*
Part. 320: Poliammide + ottone nichelato / Polyamide + nickel plated brass / Polyamid + messing vernickelt
Part. 3002: Poliammide + ottone / Polyamide + brass / Polyamid + messing

320 Volantino Ø80
Star knob Ø80 / Sterngriff Ø80

Delivery: Easy Standard

Part	Article-Nr.	A
320	32001	M12
320	32002	M16






3002 Tirante con boccola filettata
Handle with threaded insert / T-Griff mit Innengewinde

New

Delivery: Easy Standard

Part	Article-Nr.	A	B	C	ØD	E	F	G	H
3002	300201	50	15	5	M6	14	17	10	24
3002	300202	50	15	5	M8	14	17	14	24
3002	300203	60	18	6	M10	16.5	24	21	33






Materiale / *Material / Materialien:*
Poliammide/*Polyamide/Polyamid*

321 Distanziale per supporto -piccolo-
Spacer for bracket -small- / Distanzstück für Geländerhalter -klein-t

Delivery: Easy / Standard	Part	Article-Nr.
	321	32101






Use with bracket
part. 301-302
pag 361

322 Distanziale per supporto -medio-
Spacer for bracket -medium- / Distanzstück für Geländerhalter -medium-

Delivery: Easy / Standard	Part	Article-Nr.
	322	32201






Use with bracket
part. 305-306-307-308
pag 362-363

323 Distanziale per supporto -grande-
Spacer for bracket -large- / Distanzstück für Geländerhalter -groß-

Delivery: Easy / Standard	Part	Article-Nr.
	323	32301





Use with bracket
part. 309-310-311-312
pag 364-365


324


Morsetto singolo per guida laterale conica
Single clamp for conical side guide / Einfachklemme für konische Seitenführung

Delivery: Easy Standard

Part	Article-Nr.
324	32401







Pin design
pag 380


325


Morsetto singolo per guida laterale conica
Single clamp for conical side guide / Einfachklemme für konische Seitenführung


Delivery: Easy Standard

Part	Article-Nr.
325	32501









326


Morsetto singolo per guida laterale conica
Single clamp for conical side guide / Einfachklemme für konische Seitenführung


Delivery: Easy Standard

Part	Article-Nr.
326	32601









Reinforcement plate **33201**


327


Morsetto doppio per guida laterale conica
Double clamp for conical side guide / Doppelklemme für konische Seitenführung

Delivery: Easy Standard

Part	Article-Nr.	ØA
327	32701	without pin
327	32702	12
327	32703	16









Materiale / *Material* / *Materialien:*
Acciaio inox / Stainless steel / Edelstahl

328
Morsetto singolo per guida laterale conica
Single clamp for conical side guide / Einfachklemme für konische Seitenführung

Delivery: Easy | Standard









Part	Article-Nr.	Material	Type
328	32801	AISI 304	A
328	32802	AISI 304	B
328	32811	AISI 316	A

329
Morsetto doppio per guida laterale conica
Double clamp for conical side guide / Doppelklemme für konische Seitenführung

Delivery: Easy | Standard








Part	Article-Nr.	A	Type
329	32904	50,0	A
329	32901	63,5	A
329	32902	82,55	A
329	32903	95,25	A
329	32911	63,5	B
329	32912	82,55	B
329	32913	95,25	B

330
Morsetto singolo per guida laterale conica
Single clamp for conical side guide / Einfachklemme für konische Seitenführung

Delivery: Easy | Standard







Part	Article-Nr.	A
330	33001	15
330	33002	26
330	33003	20
330	33004	30

390
Elemento di giunzione
Connecting element / Verbinder

Delivery: Easy | Standard







Part	Article-Nr.
390	39001


Materiale / *Material* / *Materialien:* Acciaio inox/*Stainless steel/Edelstahl*
Morsetti: Resina acetalica/*Clamp: Acetal resin/Klemme: Azetal*
Vite, perno e dadi: Acciaio inox/*Screw, pin and nut: Stainless steel*
Schraube, Bolzen und Mutter: Edelstahl


392 Elemento di connessione
Connecting clamp / Verbindungsklemme

Delivery: Easy Standard

Part	Article-Nr.	A
392	39201	75
392	39202	100
392	39203	150









393 Elemento di connessione
Connecting clamp / Verbindungsklemme

Delivery: Easy Standard

Part	Article-Nr.
393	39302









336 Morsetto aggiustabile guide coniche
Adjustable clamp for conical guide / verstellbare Klemme für konische Führungen

Delivery: Easy Standard


Part	Article-Nr.
336	33601



CLOSE



OPEN



Materiale / *Material* / *Materialien:* Acciaio inox/*Stainless steel/Edelstahl*
Morsetti: PA/*Clamp: PA/Klemme: PA*
Vite, perno e rondelle: Acciaio inox/*Screw, pin and washer: Stainless steel/Schraube, Bolzen und Scheibe: Edelstahl*
Dado: ottone nichelato/Nut: nickel plated brass/Mutter: Messing vernickelt

394 Morsetto di giunzione
Joint clamp / Verbindungsplatte

Delivery: Easy Standard

Part	Article-Nr.	A	B	C	Specific
394	39401	81,5	9	18	used with part 135
394	39402	90	8	17	used with part 136






Used with Part 135
Pag 335



Used with Part 136
Pag 335




341 Morsetto
Clamp / Klemme


Delivery: Easy Standard

Part	Article-Nr.	ØA	Type
341	34101	without pin	A
341	34102	12	A
341	34103	16	A



Type A






Used with Part 136
Pag 335



Type B



Part	Article-Nr.	ØA	Type
341	34111	without pin	B
341	34112	12	B
341	34113	16	B



Used with Part 135
Pag 335

Movex


331 Morsetto acciaio inox
Clamp, stainless steel / Klemme, Edelstahl

New


Delivery: Easy Standard

Part	Article-Nr.	ØA
331	33101	without pin
331	33102	12
331	33103	16





For straight application




Used with Part:
135 Pag 335 - **187** Pag 340
189 Pag 339 - **1056** Pag 341
1057 Pag 341

Morsetto acciaio inox
Clamp, for side guide / Klemme, Edelstahl


Part	Article-Nr.	ØA
331	33105	without pin
331	33106	12
331	33107	16




For curved application



Used with Part:
135 Pag 335 - **187** Pag 340
189 Pag 339 - **1056** Pag 341
1057 Pag 341






345 Morsetto acciaio inox
Clamp, stainless steel / Klemme, Edelstahl


Delivery: Easy Standard



Part	Article-Nr.	ØA
345	34501	without pin
345	34502	12
345	34503	16



Used with Part 136
Pag 335




Materiale / *Material* / *Materialien:* Morsetti: PA/Clamp: PA/Klemme: PA
Vite, perno e rondella: Acciaio inox/Screw, pin and washer: Stainless steel
Schraube, Bolzen und Scheibe: Edelstahl
Dado: ottone nichelato/Nut: nickel plated brass/Mutter: Messing vernickelt


337 Morsetto singolo per tondino
Single clamp for round bar / Einfachklemme für Rund Profil

Delivery: Easy Standard

Part	Article-Nr.	ØA
337	33701	10
337	33702	12








Pin design
pag 380


338 Morsetto singolo per tondino
Single clamp for round bar / Einfachklemme für Rund Profil


Delivery: Easy Standard

Part	Article-Nr.	ØA
338	33801	10
338	33802	12











339 Morsetto doppio per tondino
Double clamp for round bar / Doppelklemme für Rund Profil

Delivery: Easy Standard

Part	Article-Nr.	ØA
339	33901	without pin
339	33902	12
339	33904	14
339	33903	16








Materiale / *Material / Materialien:*
Acciaio inox / Stainless steel / Edelstahl

349 Perno
Rod / Bolzen


Delivery: Easy Standard





Part	Article-Nr.	A
349	34901	80
349	34902	100
349	34903	150

Example: CLAMP




Part 324
Pag 373

350 Perno
Rod / Bolzen


Delivery: Easy Standard





Part	Article-Nr.	A
350	35001	80
350	35002	100
350	35003	150

Example: CLAMP



Part 337
Pag 379


351 Perno
Rod / Bolzen

Delivery: Easy Standard





Part	Article-Nr.	A	B
351	35101	80	M10
351	35102	100	M10
351	35103	150	M10
351	35151	80	M8
351	35152	100	M8
351	35153	150	M8



Example: CLAMP

Part 339
Pag 379

352 Perno
Rod / Bolzen

Delivery: Easy Standard





Part	Article-Nr.	A	B
352	35201	80	M10
352	35202	100	M10
352	35203	150	M10
352	35251	80	M8
352	35252	100	M8
352	35253	150	M8


Movex

347 Perno filettato femmina
Rod / Bolzen

Delivery: Easy Standard

Part	Article-Nr.	A	B
347	34701	80	M10
347	34702	100	M10
347	34703	150	M10
347	34751	80	M8
347	34752	100	M8
347	34753	150	M8






348 Perno filettato femmina
Rod / Bolzen

Part	Article-Nr.	A	B
348	34801	80	M10
348	34802	100	M10
348	34803	150	M10
348	34851	80	M8
348	34852	100	M8
348	34853	150	M8






Materiale / *Material* / *Materialien:*
Acciaio inox / Stainless steel / Edelstahl

346 Snodo
Joint rod adapter / Gelenk

Delivery: Easy Standard

Part	Article-Nr.	A	B	C
346	34601	M8	M8	19
346	34602	M8	M10	19
346	34603	M10	M10	19
346	34699	M8	M8	16






356 Perno snodato
Jointed rods / Gelenkbolzen

Delivery: Easy Standard

Part	Article-Nr.	A
356	35601	80
356	35602	100
356	35603	150

Use with bracket:
Part 324 Pag 373
Part 337 Pag 379





357 Perno snodato
Jointed rods / Gelenkbolzen

Delivery: Easy Standard

Part	Article-Nr.	A
357	35701	80
357	35702	100
357	35703	150





Materiale / *Material* / *Materialien:*
Polietilene HMW-PE/*Polyethylene HMW-PE/Polyethylen HMW-PE*
Rulli: resina acetalica o gomma SEBS/Rollers: Acetal Resin or SEBS rubber/Röllchen: Azetal oder SEBS gummi

335 Guide a rulli laterale
Roller guides / Röllchenführung

New Patented **New**

Max fixing load M8 screw: 15 N/m

Type A




Part	Article-Nr.	Type
335	33502	A

Type B





Part	Article-Nr.	Type
335	33504	B

Type B1



Part	Article-Nr.	Type
335	33506	B1








Soft roller
SEBS rubber


Advantages:


- **Noise reduction**
- **Improved product stability**





Available roller for bending machine





Materiale / *Material / Materialien:*
Guida: alluminio anodizzato/*Guide: anodized aluminum/Führung: eloxiertem Aluminium*
Rulli: resina acetalica o gomma SEBS/*Rollers: Acetal Resin or SEBS rubber /Röllchen: Azetal oder SEBS gummi*
Vite: Acciaio inox Screw: Stainless steel Schrauben: Edelstahl

358 Guide a rulli laterale
Roller guides / Röllchenführung

Delivery: **Easy** **Standard** Max fixing load M8 screw: 15 N/m

Type A



Part	Article-Nr.	Type
358	35802	A

Type B





Part	Article-Nr.	Type
358	35804	B

Type B1



Part	Article-Nr.	Type
358	35806	B1







Soft roller
SEBS rubber

Roller
pag 322-323



Fixing screw:
M8 hex.head
or **PART 362** Pag 394



Puntale / *Shoe / Einlaufschuh*

Part	Article-Nr.	Type
364	36401	fresato/machined/gefräst



Discover more options:
Pag 390/391

Materiale / *Material / Materialien:*
Guida: alluminio anodizzato/*Guide: anodized aluminum/Führung: eloxiertem Aluminium*
Rulli: resina acetalica o gomma SEBS/*Rollers: Acetal Resin or SEBS rubber /Röllchen: Azetal oder SEBS gummi*
Vite: Acciaio inox Screw: Stainless steel Schrauben: Edelstahl

359 Guide a rulli laterale
Roller guides / Röllchenführung

Delivery: Easy | Standard — Max fixing load M8 screw: 15 N/m

Type A



Part	Article-Nr.	Type
359	35902	A

Type B





Part	Article-Nr.	Type
359	35904	B


Type B1




Part	Article-Nr.	Type
359	35906	B1











Soft roller
SEBS rubber

Roller
pag 322-323



Fixing screw:
M8 hex.head
or **PART 362** Pag 394



Puntale / *Shoe / Einlaufschuh*

Part	Article-Nr.	Type
365	36501	fresato/machined/gefräst



Discover more options:
Pag 390/391

Materiale / *Material / Materialien:*
Guida: alluminio anodizzato/*Guide: anodized aluminum/Führung: eloxiertem Aluminium*
Rulli: resina acetalica o gomma SEBS/*Rollers: Acetal Resin or SEBS rubber /Röllchen: Azetal oder SEBS gummi*

360 Guide a rulli intermedia
Roller guides / Röllchenführung

Delivery: **Easy** **Standard** Max fixing load M8 screw: 15 N/m

Type A



Part	Article-Nr.	Type
360	36002	A

Type B




Part	Article-Nr.	Type
360	36004	B

Type B1



Part	Article-Nr.	Type
360	36006	B1





Soft roller
SEBS rubber

Roller
pag 322-323



Fixing screw:
M8 hex.head
or **PART 362** Pag 394



Puntale / *Shoe / Einlaufschuh*

Part	Article-Nr.	Type
366	36601	fresato/machined/gefräst



Discover more options:
Pag 390/391

Materiale / *Material / Materialien:*
Guida: alluminio anodizzato/*Guide: anodized aluminum/Führung: eloxiertem Aluminium*
Rulli: resina acetalica o gomma SEBS/*Rollers: Acetal Resin or SEBS rubber /Röllchen: Azetal oder SEBS gummi*

360 Guide a rulli intermedia
Roller guides / Röllchenführung

Reinforced Version **New**

Max fixing load M8 screw: 15 N/m

Type A



Part	Article-Nr.	Type
360	36012	A

Type B





Part	Article-Nr.	Type
360	36014	B


Type B1




Part	Article-Nr.	Type
360	36016	B1











Soft roller
SEBS rubber

Roller
pag 322-323



Fixing screw:
M8 hex.head
or **PART 362** Pag 394




Puntale / *Shoe / Einlaufschuh*



Part	Article-Nr.	Type
366	36601	fresato/machined/gefräst

Discover more options: Pag 390/391



Part. 360 Reinforced version is a reliable roller guides solution, the new robust design permits less support elements and allows higher pitches.

Example of application

Materiale / *Material / Materialien:*
Guida: alluminio anodizzato/*Guide: anodized aluminum/Führung: eloxiertem Aluminium*
Rulli: resina acetalica o gomma SEBS/*Rollers: Acetal Resin or SEBS rubber /Röllchen: Azetal oder SEBS gummi*

361 Guide a rulli intermedia
Roller guides / Röllchenführung

Delivery: **Easy** **Standard** Max fixing load M8 screw: 15 N/m

Type A



Part	Article-Nr.	Type
361	36102	A

Type B





Part	Article-Nr.	Type
361	36104	B


Type B1




Part	Article-Nr.	Type
361	36106	B1











Soft roller
SEBS rubber

Roller
pag 322-323



Fixing screw:
M8 hex.head
or **PART 362** Pag 394



Puntale / *Shoe / Einlaufschuh*

Part	Article-Nr.	Type
367	36701	fresato/machined/gefräst



Discover more options:
Pag 390/391

361 Guide a rulli intermedia
Roller guides / Röllchenführung

Reinforced Version **New**

Delivery: Easy Standard Max fixing load M8 screw: 15 N/m

Type A



Part	Article-Nr.	Type
361	36112	A

Type B





Part	Article-Nr.	Type
361	36114	B


Type B1




Part	Article-Nr.	Type
361	36116	B1











Soft roller
SEBS rubber

Roller
pag 322-323



Fixing screw:
M8 hex.head
or **PART 362** Pag 394




Puntale / *Shoe / Einlaufschuh*



Part	Article-Nr.	Type
367	36701	fresato/machined/gefräst

Discover more options: Pag 390/391



Part. 361 Reinforced version is a reliable roller guides solution, the new robust design permits less support elements and allows higher pitches.

Example of application


Materiale / *Material* / *Materialien:*
Rulli: Resina acetalica / *Rollers: Acetal Resin / Röllchen: Azetal*
Grano: Acciaio inox/Grub Screws: Stainless steel/Gewindestift: Edelstahl
Dadi: ottone nichelato/Nuts: nickel plated brass/Mutter: Messing vernickelt


364 Puntale
Shoe / Einlaufschuh


New

Delivery: Easy Standard — Part. 364 it is designed to allow the possibility to shorten it, if necessary.

Part	Article-Nr.	Grub screw
364	36411	M6








365 Puntale
Shoe / Einlaufschuh


New

Delivery: Easy Standard — Part. 365 it is designed to allow the possibility to shorten it, if necessary.

Part	Article-Nr.	Grub screw
365	36511	M6







Materiale / *Material* / *Materialien:*
Rulli: Resina acetalica / *Rollers: Acetal Resin / Röllchen: Azetal*
Grano: Acciaio inox/Grub Screws: Stainless steel/Gewindestift: Edelstahl
Dadi: ottone nichelato/Nuts: nickel plated brass/Mutter: Messing vernickelt


366 Puntale
Shoe / Einlaufschuh


New


Delivery: Easy Standard — Part. 366 it is designed to allow the possibility to shorten it, if necessary.

Part	Article-Nr.	Grub screw
366	36611	M6










367 Puntale
Shoe / Einlaufschuh


New


Delivery: Easy Standard — Part. 367 it is designed to allow the possibility to shorten it, if necessary.

Part	Article-Nr.	Grub screw
367	36711	M6









Materiale / *Material* / *Materialien:* Puntale: PE HD/*Shoe: PE HD/Corpus: PE HD*
Perni: acciaio inox/*Pins: SS/Bolzen: Edelstahl*
Rulli: resina acetalica o gomma SEBS/*Rollers: Acetal Resin or SEBS rubber*
Röllchen: Azetal oder SEBS gummi

366 Puntale centrale a rulli
Central roller shoe / Einlaufschuh mitting


Patented


Part	Article-Nr.	Type
366	36621	A
366	36622	B
366	36623	B1







Type B1
Soft roller
SEBS rubber







Type A



Type B

367 Puntale centrale a rulli
Central roller shoe / Einlaufschuh mitting


Patented


Part	Article-Nr.	Type
367	36721	A
367	36722	B
367	36723	B1







Type B1
Soft roller
SEBS rubber







Type A



Type B

Movex

Materiale / *Material* / *Materialien:* Puntale: PE HD/*Shoe: PE HD/Corpus: PE HD*
Perni: acciaio inox/*Pins: SS/Bolzen: Edelstahl*
Rulli: resina acetalica o gomma SEBS/*Rollers: Acetal Resin or SEBS rubber*
Röllchen: Azetal oder SEBS gummi

364 Puntale laterale a rulli
Side roller shoe / Einlaufschuh seitlich


Patented

Part	Article-Nr.	Type
364	36421	A
364	36422	B
364	36423	B1






Type B1
Soft roller
SEBS rubber



Type A



Type B

365 Puntale laterale a rulli
Side roller shoe / Einlaufschuh seitlich


Patented

Part	Article-Nr.	Type
365	36521	A
365	36522	B
365	36523	B1






Type B1
Soft roller
SEBS rubber



Type A




Type B

Materiale / *Material* / *Materialien:* Profilo: PE/*Profile: PE/Profil: PE*
Guide: Alluminio/*Guides: Aluminum/Führungen: Aluminium*
Elemento di giunzione: Acciaio inox /*Connecting elements: stainless steel*
Verbindungselement: Edelstahl

395 Guida laterale in PE
PE side guides / Seitenführung in PE

Part	Article-Nr.	L
395	39501	3 m









362 Vite a “T”
T-bolt / T-Schraube

Delivery: Easy Standard

Part	Article-Nr.	A
362	36201	16
362	36202	19
362	36203	25









358 Guide in alluminio
Aluminum guides / Aluminiumführung

Part	Article-Nr.	Version	Min. radius	L
358	35800	Single-lateral	250	3 m
359	35900	Double-lateral	500	3 m
360	36000	Single-central	500	3 m
361	36100	Double-central	750	3 m







35800



35900



36100





36000

333 Elemento di giunzione
Connecting elements / Verbindungselement

Part	Article-Nr.
333	33301








353 Guide a rulli di accumulo
Accumulation roller guides / Stauröllchenführung

Delivery: Easy Standard

Part	Article-Nr.	A	Pin	Pin Ø
353	35301	1 m	PA	6 mm
353	35302	2 m	PA	6 mm
353	35303	3 m	PA	6 mm






354 Guide a rulli di accumulo
Accumulation roller guides / Stauröllchenführung

Delivery: Easy Standard

Part	Article-Nr.	A	Pin	Pin Ø
354	35401	1 m	PA	6 mm
354	35402	2 m	PA	6 mm
354	35403	3 m	PA	6 mm






355 Guide a rulli di accumulo
Accumulation roller guides / Stauröllchenführung

Delivery: Easy Standard

Part	Article-Nr.	A	Pin	Pin Ø
355	35501	1 m	SS	6 mm
355	35502	2 m	SS	6 mm
355	35503	3 m	SS	6 mm






Materiale / *Material* / *Materialien:*
Resina acetalica / *Acetal Resin* / *Azetal*

363 Guida a rulli flessibile
Flexible roller guide / Flexible Röllchenführung


Delivery: Easy Standard

Part	Article-Nr.	Type	A
363	36301	A	8
363	36302	B	8
363	36303	A	10
363	36304	B	10




Advantages:

- Noise reduction
- Improved product stability




Type A




Type B

Curvature radius




Fixing with plate and metal profile




396 Guida a rulli flessibile
Flexible roller guide / Flexible Röllchenführung


Delivery: Easy Standard

Part	Article-Nr.	Type
396	39601	A
396	39602	B






Type A




Type B

Curvature radius



Fixing with plate and metal profile



Materiale / *Material* / *Materialien:*
Resina acetalica / *Acetal Resin* / *Azetal*


363 Guida a rulli flessibile (centrale)
Flexible roller guide (Centre) / Flexible Röllchenführung (Zentral)

Delivery: Easy Standard

Part	Article-Nr.	Type	for plate
363	36313	A	40x8
363	36311	A	40x10
363	36314	B	40x8
363	36312	B	40x10




Type A






Type B



Puntale / *Shoe / Einlaufschuh*

Part	Article-Nr.	For Type
363	36399	A & B





Use with
Flexible roller guide
(Central version)
Part 363 Pag 396

199/299

Blocco di montaggio catena
Chain mounting block / Kettenmontageblock

Delivery: Easy Standard



Part	Article-Nr.
199	19980

For steel chain:
812/815 (GT)
881 M (GT)
and plastic chain:
820 (GT)
831

Part	Article-Nr.
199	19981

For steel chain:
8157 (GT)
8857 M (GT/LBP)
and plastic chain:
8257 (GT/LBP)
8857 (GT/LBP)
882 Bevel


Part	Article-Nr.
199	19982

For steel chain:
812/815 (GT)
881 M (GT)
and plastic chain:
828 (GT/LBP)
880 M
880 Bevel
879 M
879 Bevel


Part	Article-Nr.
299	29978

For sideflexing belt/ chain:
260 M (FT/FG)
261 M (FT)

Disassembling mode:



Assembling mode:



Materiale / *Material* / *Materialien:* Modulo: resina acetalica/*Moduls: acetal resin/Module: Azetal*
Perni, viti e dadi: Acciaio inox/*Pins, screws and nuts: Stainless steel/Bolzen, Schraube und Mutter: Edelstahl*
Rulli: resina acetalica o acciaio inox/*Rollers: acetal resin or stainless steel/Rolle: Azetal oder Edelstahl*

368 Moduli di trasferimento L=85 mm

Transfer modules L=85 mm / Überschubmodul L=85 mm


Delivery: Easy Standard



Part	Article-Nr.	Type	Roller material
368	36801	A	Acetal resin
368	36802	B	Acetal resin
368	36803	C	Acetal resin
368	36801SS	A	Stainless steel
368	36802SS	B	Stainless steel
368	36803SS	C	Stainless steel



Smart Roll
with mini bearing in stainless steel



Type A *Type B* *Type C*

369 Moduli di trasferimento L=115 mm

Transfer modules L=115 mm / Überschubmodul L=115 mm


Delivery: Easy Standard



Part	Article-Nr.	Type	Roller material
369	36901	A	Acetal resin
369	36902	B	Acetal resin
369	36903	C	Acetal resin
369	36901SS	A	Stainless steel
369	36902SS	B	Stainless steel
369	36903SS	C	Stainless steel



Smart Roll
with mini bearing in stainless steel





Type A *Type B* *Type C*

370 Moduli di trasferimento L=85 mm
Transfer modules L=85 mm / Überschubmodul L=85 mm

Delivery: Easy Standard

Part	Article-Nr.	Type
370	37001	A
370	37002	B
370	37003	C







Type A *Type B* *Type C*

371 Moduli di trasferimento L=115 mm
Transfer modules L=115 mm / Überschubmodul L=115 mm

Delivery: Easy Standard

Part	Article-Nr.	Type
371	37101	A
371	37102	B
371	37103	C






Type A *Type B* *Type C*


Materiale / *Material / Materialien:*
Part. 342 Modulo: resina acetalica/*Moduls: acetal resin/Module: azetal*
Perni, viti e dadi: Acciaio inox/*Pins, Screws and nuts: stainless steel/Bolzen, Schraube und Mutter: edelstahl*
Rulli: acciaio inox/*Rollers: stainless steel/Rolle: edelstahl*


342 Moduli di trasferimento L=200 mm
Transfer modules L=200 mm / Überschubmodul L=200 mm

New

Part	Article-Nr.
342	34201








372 Cerniera
Hinge / Scharnier

Delivery: Easy Standard

Part	Article-Nr.	A	B	C	D	E
372	37201	11	14	10,5	6,5	6
372	37202	11	14	13,5	8,5	8
372	37203	18	21	13,5	8,5	8






373 Cerniera
Hinge / Scharnier

Delivery: Easy Standard

Part	Article-Nr.	C	D	E
373	37301	10,5	6,5	6
373	37302	13,5	8,5	4






383 Cerniera
Hinge / Scharnier

Delivery: Easy Standard

Part	Article-Nr.	A	B	C	ØD	ØE	F	G
383	38301	24	25	14,5	4,5	14	44,6	41
383	38302	36	36	20,8	6,5	20	62,5	58






384 Cerniera Acciaio Inox
SS Hinge / Edelstahl Scharnier

Delivery: Easy Standard

Part	Article-Nr.	A	B	C	ØD	ØE	F	G
384	38401	20	32,5	4,3	5,5	10,5	40	51
384	38402	30	41	5	6,5	12,5	60	71






Materiale / *Material* / *Materialien:*
Poliammide/*Polyamide/Polyamid*

385 Maniglia ad impugnatura morbida
Soft touch handle / Handgriffe "Soft Touch"

Delivery: Easy Standard

Part	Article-Nr.
385	38501






386 Maniglia
Handle / Handgriff

Delivery: Easy Standard

Part	Article-Nr.	A	B	C	Ød	ØD	E	F
386	38601	120	140	40	8,8	13	24,5	16
386	38602	160	185	48	8,8	15	29	16






397 Maniglia acciaio inox
Stainless Steel handle / Handgriffe Edelstahl

Stainless Steel | AISI 304

Delivery: Easy Standard

Part	Article-Nr.	A
397	39701	95
397	39702	100
397	39703	110






3003 Maniglia piena con boccola
Solid handle with threaded insert / Handgriff mit Innengewinde

New

Delivery: Easy Standard

Part	Article-Nr.	A	B	C	ØD	E	F	G	H
3003	300301	120	134	34	M6	9	50	16	25
3003	300302	120	134	34	M8	14	50	16	25






Materiale / *Material / Materialien:*
Morsetti: Poliammide/*Handels: Polyamide/Griff: Polyamid*
Inserto femmina: ottone nichelato/*Female insert: Nichel plated brass /Einsatz: Messing vernickelt*
Inserto maschio: Acciaio inox /*Male insert: Stainless steel /Aussengewinde: Edelstahl*


374 Maniglia a ripresa
Adjustable handle / Ratschenhebel

Range Extension

Part	Article-Nr.	A	B	C	D	E
374	37403	51	33	9	M5	12
374	37404	51	33	9	M6	12
374	37405	63	40	12	M6	18
374	37406	63	40	12	M8	18
374	37407	63	40	12	M10	18
374	37401	76	43	14	M8	18
374	37409	76	43	14	M10	18
374	37402	93	52	17	M10	22
374	37408	93	52	17	M12	22








375 Maniglia a ripresa
Adjustable handle / Ratschenhebel


Range Extension

Delivery: Easy Standard

Part	Article-Nr.	A	B	C	D	E
375	37508	51	33	9	M5	15
375	37509	51	33	9	M6	15
375	37510	63	40	12	M8	15
375	37511	63	40	12	M8	20
375	37501	76	43	14	M8	20
375	37512	76	43	14	M8	25
375	37502	76	43	14	M10	25
375	37513	93	52	17	M10	20
375	37514	93	52	17	M10	25








377 Morsetto standard per fotocellula o riflettore
Clamp for photocells or reflector / Klemme für Fotozelle oder Reflektor

Part	Article-Nr.	ØA
377	37701	14
377	37702	16
377	37703	20







378 Morsetti "T"
T-clamp / T-Klemme

Delivery: Easy Standard

Part	Article-Nr.	A	B
378	37801	10	8
378	37802	12	10
378	37803	14	12








Materiale / *Material / Materialien:*
Morsetti: Poliammide/*Clamps: Polyamide/Klemme: Polyamid*
Viti e dadi: Acciaio inox /*Screws and nuts: Stainless steel /Schraube und Mutter: Edelstahl*

379 Morsetto per riflettore
Clamp for reflector / Reflektorklemme

Part	Article-Nr.	A	B
379	37901	10	8
379	37902	12	10
379	37903	14	12






380 Morsetto per fotocellule o sensori
Clamp for photocells or sensors / Klemme für Lichtschranke oder Sensoren

Delivery: Easy Standard

Part	Article-Nr.	A	B
380	38001	10	8
380	38002	12	10
380	38003	14	12






381 Morsetto a croce
Cross clamp / Kreuzklemmee

Delivery: Easy Standard

Part	Article-Nr.	ØA	⌀B	C	D
381	38101	14	12	14	12
381	38102	16	14	16	14
381	38103	18	-	18	-
381	38104	20	16	20	16






382 Morsetto a croce
Cross clamp / Kreuzklemmee

Delivery: Easy Standard

Part	Article-Nr.	ØA	⌀B	C	D
382	38201	10	8	10	8
382	38202	12	10	12	10
382	38203	14	12	14	12







Materiale / *Material* / *Materialien:* Corpo: PA/*Body: PA/Korpus: PA*
Volantino: PA+ ottone nichelato/*Knob: PA+ nickel plated bross/Stengriff: PA+ messing vernickelt*
Tirante e rondella: Acciaio inox/*Eyebott and washer: Stainless steel/*
Augenschraube und Unterlegs: Edelstahl

376 Morsetto a croce "extra"
Extra Cross Block / Kreuzklemme "Extra"

Part	Article-Nr.	A	B
376	37601	30x30	16
376	37602	40x40	16
376	37603	40x40	20









Morsetto a croce "extra" con maniglia
Extra Cross Block with handle / Kreuzklemme "Extra" m. Ratschenhebel

Part	Article-Nr.	A	B
376	37611	30x30	16
376	37612	40x40	16
376	37613	40x40	20









Morsetto a croce "extra" con maniglie
Extra Cross Block with handles / Kreuzklemme "Extra" m. Ratschenhebel

Part	Article-Nr.	A	B
376	37621	30x30	16
376	37622	40x40	16
376	37623	40x40	20







Movex


Materiale / *Material* / *Materialien:* Corpo: PA/*Body: PA/Korpus: PA*
Volantino: PA+ ottone nichelato/*Knob: PA+ nickel plated bross/Stengriff: PA+ messing vernickelt*
Tirante e rondella: Acciaio inox/*Eyebott and washer: Stainless steel/*
Augenschraube und Unterlegs: Edelstahl


391 Morsetto a croce
Cross clamp / Kreuzklemmee

Delivery: Easy Standard

Part	Article-Nr.	ØA	ØB
391	39101	12	12
391	39103	14	14
391	39102	16	16
391	39104	12	16








Materiale / *Material / Materialien:*
Supporto: Acciaio inox/*Support: Stainless steel/Halter: Edelstahl*
Morsetto: PA/*Clamps: PA/Klemme: PA*

387 Sostegno per Sgocciolatoio
Drip Tray Supports / Tropfblechhalter

Delivery: **Easy** **Standard** Max load capacity 20 Kg

Part	Article-Nr.	L	Type
387	38701	180	A
387	38702	250	A
387	38703	180	B
387	38704	250	B
387	38705	280	B
387	38706	246	C
387	38707	396	C
387	38708	180	D
387	38709	250	D






Type A *Type B* *Type C* *Type D*

388 Rondella di fissaggio
Fixing washer / Fixierscheibe

Delivery: **Easy** **Standard**

Part	Article-Nr.	Type
388	38801	A
388	38802	B





Type A *Type B*

