
413



401  Pag 414

402  Pag 414

403  Pag 415

404  Pag 415

407  Pag 416

408  Pag 416

409  Pag 417

499  Pag 417

410  Pag 418

411  Pag 418

426  Pag 419

432  Pag 419

427  Pag 420

425  Pag 420

413  Pag 421

417  Pag 421


414  Pag 422

419  Pag 423

420  Pag 423

415  Pag 424

416  Pag 425


428 Pag 426


429 Pag 426


430 Pag 426

418  Pag 427

421  Pag 428

422  Pag 428

423  Pag 428

424  Pag 428


Materiale / *Material / Materialien:*
Basi: Poliammide/*Base: Polyamide/Halter: Polyamid*
Viti e rondelle: Acciaio inox/*Screws and washers: Stainless steel/ Schrauben und Scheibe: Edelstahl*
Inserti e dadi: ottone nichelato/Inserts nuts: nickel plated brass /Mutter: Messing vernickelt


401 Base a due braccia
Bipod / Zweibeinhalter

Delivery: **Easy** **Standard** Screw included




Part	Article-Nr.	ØA
401	40101	48,3
401	40105	50,9
401	40102	60,3





Tube sliding load resistance
P= 8000 N
Max applicable load
P= 9600 N
Bolts tightening torque
25 N.m




Example of application


402 Base a due braccia 180° con giunto
Bipod 180° with connector / Zweibeinhalter 180° m. Verbinder

Delivery: **Easy** **Standard** Screw included




Part	Article-Nr.	ØA	ØB
402	40201	48,3	48,3
402	40205	50,9	48,3
402	40202	60,3	48,3
402	40203	48,3	42,4
402	40206	50,9	42,4
402	40204	60,3	42,4





Tube sliding load resistance
P= 8000 N
Max applicable load
P= 8000 N
Bolts tightening torque
25 N.m



Example of application


Materiale / *Material / Materialien:*
Basi: Poliammide/*Base: Polyamide/Halter: Polyamid*
Viti e rondelle: Acciaio inox/*Screws and washers: Stainless steel/ Schrauben und Scheibe: Edelstahl*
Inserti e dadi: ottone nichelato/Inserts nuts: nickel plated brass /Mutter: Messing vernickelt


403 Base a due braccia 120° con giunto
Bipod 120° with connector / Zweibeinhalter 120° m. Verbinder

Delivery: Easy | Standard | Screw included




Part	Article-Nr.	ØA	ØB
403	40301	48,3	48,3
403	40305	50,9	48,3
403	40302	60,3	48,3
403	40303	48,3	42,4
403	40306	50,9	42,4
403	40304	60,3	42,4





Tube sliding load resistance
P= 8000 N
Max applicable load
P= 8000 N
Bolts tightening torque
25 N.m




Example of application


404 Base a tre braccia
Tripod / Dreibeinhalter

Delivery: Easy | Standard | Screw included




Part	Article-Nr.	ØA
404	40401	48,3
404	40405	50,9
404	40402	60,3





Tube sliding load resistance
P= 8000 N
Max applicable load
P= 10000 N
Bolts tightening torque
25 N.m



Example of application


Materiale / *Material / Materialien:*
Testata: Poliammide/Side bracket: Polyamide/Halter: Polyamid
Viti e rondelle: Acciaio inox/Screws and washers: Stainless steel/Schrauben und Scheibe: Edelstahl
Dadi: ottone nichelato/Nuts: nickel plated brass/Mutter: Messing vernickelt

407 Testata laterale
Side mounting top bracket / seitlicher Stützkopf


Delivery: Easy | Standard — Max recommended tightening torque 2 kgm

Part	Article-Nr.	ØA
407	40701	48,3
407	40702	50,9





Example of application




408 Testata laterale
Side mounting top bracket / seitlicher Stützkopf


Delivery: Easy | Standard — Max recommended tightening torque 2,5 kg/m | Screw not included


Part	Article-Nr.
408	40801





Example of application





Materiale / *Material / Materialien:*
Testata: Acciaio inox/*Support head: stainless steel/Halter: Edelstahl*
Viti e rondelle: Acciaio inox /Screws and washers: Stainless steel / Mutter: Edelstahl


409 Testata laterale
Side mounting top bracket / seitlicher Stützkopf

Stainless Steel | AISI 304


Delivery: **Easy** **Standard** Screw included


Part	Article-Nr.	ØA
409	40901	48,3





Example of application






499 Testata laterale
Side mounting top bracket / seitlicher Stützkopf

Stainless Steel | AISI 304


Delivery: **Easy** **Standard** Screw not included


Part	Article-Nr.	ØA
499	49995	48,3






Example of application








Materiale / *Material / Materialien:*
Testata: Poliammide/Support head: Polyamide/Halter: Polyamid
Viti e rondelle e dado: Acciaio inox /Screws, washers and nut: Stainless steel /Schrauben, Scheibe umd Mutter: Edelstahl


410 Testata d'appoggio
Support head / Stützkopf

Delivery: Easy Standard — Max recommended tightening torque 3,5 kgm


Part	Article-Nr.	ØA
410	41001	48,3
410	41002	60,3







Example of application





411 Testata d'appoggio
Support head / Stützkopf

Delivery: Easy Standard — Max recommended tightening torque 1,5 kgm


Part	Article-Nr.	ØA
411	41101	48,3
411	41102	50,9







Example of application




426 Testata d'appoggio
Support head / Stützkopf


Stainless Steel | AISI 304


Screw included

Part	Article-Nr.
426	42601









Example of application


432 Tappo per tubi metrici tondi
Plug for Round Metric Tubes / Runde Lamellenstopfen für metrische Röhren


New

Delivery: Easy | Standard


Part	Article-Nr.
432	43201







Example of application



Materiale / *Material / Materialien:*
Acciaio inox / *Stainless steel / Edelstahl*


427 Supporto laterale
Side bracket / Seitenhalter

Stainless Steel | AISI 304


Delivery: **Easy** **Standard** Screw-washer not included


Part	Article-Nr.	ØA
427	42701	16
427	42702	20






Example of application








425 Morsetto a collare
Clamp collar / Klemmschelle

Stainless Steel | AISI 304


Delivery: **Easy** **Standard**


Part	Article-Nr.	A	ØB
425	42501	25	48,3
425	42511	25	50,8
425	42521	76,2	50,8





Example of application






Materiale / *Material / Materialien:*
Giunto: Poliammide/*Joint: Polyamide/Verbinder: Polyamid*
Viti e rondelle: Acciaio inox/*Screws and washers: Stainless steel/ Schrauben und Scheibe: Edelstahl*
Inserti e dadi: Acciaio inox/*Inserts nuts: Stainless steel/ Mutter: Edelstahl*

413 Giunto di collegamento
Connecting joint / Verbindungselement


Delivery: Easy | Standard — Max recommended tightening torque 1,5 kgm


Part	Article-Nr.	ØA	ØB	C	D	E
413	41301	48,3	48,3	134	86	68
413	41302	60,3	48,3	146	98	80
413	41303	60,3	60,3	146	98	80





Example of application






417 Giunto di collegamento
Connecting joint / Verbindungselement


Delivery: Easy | Standard


Part	Article-Nr.	ØA
417	41701	48,3
417	41702	50,9





Example of application





Materiale / *Material / Materialien:*
Acciaio inox / *Stainless steel / Edelstahl*


414 Giunto di collegamento (acciaio inox)
Connecting joint (SS) / Verbindungselement (Edelstahl)


Stainless Steel | AISI 304


Delivery: Easy | Standard | Max recommended tightening torque 2,5 kgm

Part	Article-Nr.	ØA	ØB	C	D	E
414	41401	48,3	48,3	100	130	72,5
414	41402	60,3	60,3	110	150	92,5










Example of application


419 Tappi ad espansione
Expansions plugs / Gewindezapfen, Spreizbar


Delivery: Easy Standard

Part	Article-Nr. Brass Bush	Article-Nr. PA Bush	ØA	B	C	M
419	41907	-	20	19	3	M8
419	41908	-	20	19	3	M10
419	41901	-	20	20	4	M8
419	41902	-	20	20	4	M10
419	41903	41913	38	40	5	M8
419	41904	41914	38	40	5	M10
419	41905	41915	42,4	40	5	M8
419	41906	41916	42,4	40	5	M10










Example of application


420 Tappi ad espansione
Expansions plugs / Gewindezapfen, Spreizbar


Delivery: Easy Standard

Part	Article-Nr. Brass Bush	Article-Nr. PA Bush	A	B	C	D	M
420	42001	-	20	20	4	1,5	M8
420	42002	-	20	20	4	1,5	M10
420	42003	-	20	20	4	2	M8
420	42004	-	20	20	4	2	M10
420	42005	42015	40	40	5	2	M8
420	42006	42016	40	40	5	2	M10










Example of application


Materiale / *Material / Materialien:*
Tappo: Poliammide / *Plug: Polyamide / Stopfen: Polyamid*
Inserti: PA o ottone nichelato / *Inserts: PA or nickel plated brass*
Einsatz: PA oder Messing vernickelt


415 Tappi tondi filettati
Threaded bushings for round tubes / Gewindezapfen f. Rund-Rohr

Delivery: Easy Standard









Example of application


Part	Art.-Nr.	ØA	B	C	D
415	41507	30	1	M10	33
415	41508			M12	33
415	41509			M14	33
415	41510			M16	33
415	41511	30	1,5	M10	33
415	41512			M12	33
415	41513			M14	33
415	41514			M16	33
415	41515	30	2	M10	33
415	41516			M12	33
415	41517			M14	33
415	41518			M16	33
415	41519	30	2,5	M10	33
415	41520			M12	33
415	41521			M14	33
415	41522			M16	33
415	41523	38	1,5	M10	40
415	41524			M12	40
415	41525			M14	40
415	41526			M16	40
415	41527	38	2	M10	40
415	41528			M12	40
415	41529			M14	40
415	41530			M16	40
415	41531	38	2,5	M10	40
415	41532			M12	40
415	41533			M14	40
415	41534			M16	40
415	41535	42,4	1,5	M10	43
415	41536			M12	43
415	41537			M14	43
415	41538			M16	43
415	41539			M20	43
415	41540	42,4	2	M10	43
415	41541			M12	43
415	41542			M14	43
415	41543			M16	43
415	41544			M20	43
415	41545	42,4	2,5	M10	43
415	41546			M12	43
415	41547			M14	43
415	41548			M16	43
415	41549			M20	43
415	41550	48,3	1,5	M10	48
415	41551			M12	48
415	41552			M14	48
415	41501			M16	48
415	41502			M20	48


Part	Art.-Nr.	ØA	B	C	D
415	41553	48,3	2	M10	48
415	41554			M12	48
415	41555			M14	48
415	41556			M16	48
415	41557			M20	48
415	41558	48,3	2,5	M10	48
415	41559			M12	48
415	41560			M14	48
415	41561			M16	48
415	41562			M20	48
415	41563	50	1,5	M10	50
415	41564			M12	50
415	41565			M14	50
415	41503			M16	50
415	41504			M20	50
415	41566	50,9	1,5	M10	50
415	41567			M12	50
415	41568			M14	50
415	41569			M16	50
415	41570			M20	50
415	41571	50,9	2	M10	50
415	41572			M12	50
415	41573			M14	50
415	41574			M16	50
415	41575			M20	50
415	41576	50,9	2,5	M10	50
415	41577			M12	50
415	41578			M14	50
415	41579			M16	50
415	41580			M20	50
415	41581	60,3	1,5	M10	55
415	41582			M12	55
415	41583			M14	55
415	41584			M16	55
415	41585			M20	55
415	41586	60,3	2	M10	55
415	41587			M12	55
415	41588			M14	55
415	41505			M16	55
415	41506			M20	55
415	41589	60,3	2,5	M10	55
415	41590			M12	55
415	41591			M14	55
415	41592			M16	55
415	41593			M20	55

416 Tappi quadri filettati
Threaded bushings for square tubes / Gewindezapfen f. Vierkant-Rohr

Delivery: Easy Standard








Part	Article-Nr.	A	B	C	D
416	41601	25	1,5	M10	30
416	41602			M12	30
416	41611	30	1,5	M10	33
416	41603			M12	33
416	41612			M14	33
416	41604			M16	33
416	41613	30	2	M10	33
416	41614			M12	33
416	41615			M14	33
416	41616			M16	33
416	41617	35	1,5	M10	43
416	41618			M12	43
416	41619			M14	43
416	41620			M16	43
416	41621			M20	43
416	41622	35	2	M10	43
416	41623			M12	43
416	41624			M14	43
416	41625			M16	43
416	41626			M20	43
416	41681	38,1	1,6	M10	43
416	41682			M12	43
416	41683			M14	43
416	41684			M16	43
416	41685			M20	43
416	41686	38,1	3	M10	43
416	41687			M12	43
416	41688			M14	43
416	41689			M16	43
416	41690			M20	43
416	41627	40	1,2	M10	43
416	41628			M12	43
416	41629			M14	43
416	41630			M16	43
416	41631			M20	43
416	41632	40	1,5	M10	43
416	41605			M12	43
416	41633			M14	43
416	41606			M16	43
416	41634			M20	43
416	41635	40	2	M10	43
416	41636			M12	43
416	41637			M14	45
416	41607			M16	45
416	41608			M20	45
416	41638	40	2,5	M10	45
416	41639			M12	45
416	41640			M14	45
416	41641			M16	45
416	41642			M20	45

Part	Article-Nr.	A	B	C	D
416	41643	45	2	M10	50
416	41644			M12	50
416	41645			M14	50
416	41646			M16	50
416	41647			M20	50
416	41648	50	1,2	M10	50
416	41649			M12	50
416	41650			M14	50
416	41651			M16	50
416	41652			M20	50
416	41653	50	1,5	M10	50
416	41654			M12	50
416	41655			M14	50
416	41656			M16	50
416	41657			M20	50
416	41658	50	2	M10	50
416	41659			M12	50
416	41660			M14	50
416	41609			M16	50
416	41610			M20	50
416	41661	50	2,5	M10	50
416	41662			M12	50
416	41663			M14	50
416	41664			M16	50
416	41665			M20	50
416	41666	50	3	M10	50
416	41667			M12	50
416	41668			M14	50
416	41669			M16	50
416	41670			M20	50
416	41671	60	2	M10	55
416	41672			M12	55
416	41673			M14	55
416	41674			M16	55
416	41675			M20	55
416	41676	60	3	M10	55
416	41677			M12	55
416	41678			M14	55
416	41679			M16	55
416	41680			M20	55



Example of application

Materiale / *Material / Materialien:*
Tappi: Acciaio Inox / *Plug: SS / Stopfen: Edelstahl*


428 Tappi quadri filettati
Threaded bushings for square tube / Gewindezapfen f. Vierkant-Rohr

Stainless Steel | AISI 304

Delivery: Easy Standard



Part	Article-Nr.	A	C	ØB	E
428	42801	40	M16	20	10
428	42802	40	M20	23	11,5
428	42803	45	M16	20	10
428	42804	45	M20	23	11,5
428	42805	50	M16	20	10
428	42806	50	M20	23	11,5
428	42807	60	M16	20	10
428	42808	60	M20	23	11,5




429 Tappi tondi filettati
Threaded bushings for round tube / Gewindezapfen f. Rund-Rohr

Stainless Steel | AISI 304

Delivery: Easy Standard



Part	Article-Nr.	C	ØB	E
429	42901	M16	20	10
429	42902	M20	23	11,5




430 Tappi rettangolari filettati
Threaded bushings for rectangular tube / Gewindezapfen f. Rechteck

Stainless Steel | AISI 304

Delivery: Easy Standard




Part	Article-Nr.	C	ØB	E
430	43001	M16	20	10
430	43002	M20	23	11,5



418 Giunto di collegamento
Connecting joint / Verbindungselement


Delivery: Easy | Standard

Type A



Part	Article-Nr.	Type
418	41801	A

Type B




Part	Article-Nr.	Type
418	41802	B

Type C



Part	Article-Nr.	Type
418	41803	C

Type D




Part	Article-Nr.	Type
418	41804	D

Type E




Part	Article-Nr.	Type
418	41805	E

Type F



Part	Article-Nr.	Type
418	41806	F

Type G




Part	Article-Nr.	Type
418	41807	G


Type H



Part	Article-Nr.	Type
418	41808	H



Example of application



For Tubes
25 x 25 x 1.5 mm


Materiale / *Material / Materialien:*
Poliammide / *Polyamide / Polyamid*

421 Blocco per pannelli
Panel clamp / Panelklemme

Delivery: Easy Standard

Part	Article-Nr.	A	B	C
421	42101	25	40	4
421	42102	25	40	5
421	42103	25	40	6
421	42104	30	45	4
421	42105	30	45	5
421	42106	30	45	6







422 Fermaporta
Door stop / Türstopper

Delivery: Easy Standard

Part	Article-Nr.	A	B
422	42201	25	31






423 Blocchetto di fissaggio
Fixing lock / Anschlag

Delivery: Easy Standard

Part	Article-Nr.
423	42301





424 Fermaporta a molla
Spring loaded latch / Türverschluss

Delivery: Easy Standard

Part	Article-Nr.
424	42401



